

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/BOM,v

working file: atlas/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 7.0

keyword substitution: kv

total revisions: 1799; selected revisions: 15

description:

-----  
revision 2.115

date: 1995/03/31 22:40:27; author: tom; state: Exp; lines: +2 -2

Release Target: atlas

Makefile.defs

export CHIPROOT

-----  
revision 2.114

date: 1995/03/31 22:07:19; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

x112dandn20s.ly

x112dorn20s.ly

x117dandn20s.ly

x117dorn20s.ly

x12andn10s.ly

x12andn160s.ly

x12andn20s.ly

x12andn40s.ly

x12andn80s.ly

x12dandn10s.ly

x12dorn10s.ly

x12muxn10s.ly

x12muxn160s.ly

x12muxn20s.ly

x12muxn40s.ly

x12muxn80s.ly

x12orn10s.ly

x12orn160s.ly

x12orn20s.ly

x12orn40s.ly

x12orn80s.ly

x13andn10s.ly

x13andn160s.ly

x13andn20s.ly

x13andn40s.ly

x13andn80s.ly

x13dandn10s.ly

x13dorn10s.ly

x13muxn10s.ly

x13muxn160s.ly

x13muxn20s.ly

x13muxn40s.ly

x13muxn80s.ly

x13orn10s.ly

x13orn160s.ly

x13orn20s.ly

x13orn40s.ly

x13orn80s.ly

x14andn10s.ly

x14andn160s.ly

cf Mar 28-April 3 1995.log

x14andn20s.ly  
x14andn40s.ly  
x14andn80s.ly  
x14dandn10s.ly  
x14dorn10s.ly  
x14muxn10s.ly  
x14muxn160s.ly  
x14muxn20s.ly  
x14muxn40s.ly  
x14muxn80s.ly  
x14orn10s.ly  
x14orn160s.ly  
x14orn20s.ly  
x14orn40s.ly  
x14orn80s.ly  
x15muxn10s.ly  
x15muxn160s.ly  
x15muxn20s.ly  
x15muxn40s.ly  
x15muxn80s.ly  
x16dandn10s.ly  
x16dorn10s.ly  
x16muxn10s.ly  
x16muxn160s.ly  
x16muxn20s.ly  
x16muxn40s.ly  
x16muxn80s.ly  
x17muxn10s.ly  
x17muxn160s.ly  
x17muxn20s.ly  
x17muxn40s.ly  
x17muxn80s.ly  
x18dandn10s.ly  
x18dorn10s.ly  
x18muxn10s.ly  
x18muxn160s.ly  
x18muxn20s.ly  
x18muxn40s.ly  
x18muxn80s.ly  
x1bufn10s.ly  
x1bufn160s.ly  
x1bufn20s.ly  
x1bufn40s.ly  
x1bufn80s.ly  
x1d1aq10s.ly  
x1d1aq160s.ly  
x1d1aq20s.ly  
x1d1aq40s.ly  
x1d1aq80s.ly  
x1d1bq10s.ly  
x1d1bq160s.ly  
x1d1bq20s.ly  
x1d1bq40s.ly  
x1d1bq80s.ly  
x11an10s.ly  
x11an160s.ly  
x11an20s.ly  
x11an40s.ly  
x11an80s.ly  
x11bn10s.ly  
x11bn160s.ly  
x11bn20s.ly  
x11bn40s.ly

xllbn80s.ly

cf Mar 28-April 3 1995.log

Added uh\_ cells to half of these cells.

-----  
revision 2.113

date: 1995/03/31 19:17:13; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

-----  
revision 2.112

date: 1995/03/31 19:15:33; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/leafgen

add edif netlist generation

-----  
revision 2.111

date: 1995/03/31 03:05:51; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 2.110

date: 1995/03/31 01:05:24; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

-----  
revision 2.109

date: 1995/03/30 20:05:50; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d\_am)

-----  
revision 2.108

date: 1995/03/30 20:00:49; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

-----  
revision 2.107

date: 1995/03/30 19:34:25; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi\_am & q\_bnm

-----  
revision 2.106

date: 1995/03/30 19:14:51; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/leafgen

fix call to inferLobes: pass CHIPROOT to it, and check error status

-----  
revision 2.105

date: 1995/03/30 19:08:51; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas  
Makefile.defs

fault the ged stuff back in -- it's clearly all needed

-----  
revision 2.104

date: 1995/03/30 04:49:18; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/leafgen

cf Mar 28-April 3 1995.log  
improve dependencies; build netlist for one-lobe xs cells

-----  
revision 2.103  
date: 1995/03/29 22:17:59; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

-----  
revision 2.102  
date: 1995/03/29 18:34:17; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/leafgen

first shot at building xs cells -- only works for hierarchical cells, so far

-----  
revision 2.101  
date: 1995/03/29 18:32:55; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/Makefile.defs,v  
working file: atlas/Makefile.defs  
head: 1.62  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.62  
keyword substitution: kv  
total revisions: 62; selected revisions: 2  
description:

-----  
revision 1.12  
date: 1995/03/31 22:40:11; author: tom; state: Exp; lines: +3 -1  
export CHIPROOT

-----  
revision 1.11  
date: 1995/03/30 19:08:33; author: tom; state: Exp; lines: +32 -1  
fault the ged stuff back in -- it's clearly all needed

=====

RCS file: /p/cvsroot/atlas/baseplate/chipparms.m4,v  
working file: atlas/baseplate/chipparms.m4  
head: 1.21  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.21  
keyword substitution: kv  
total revisions: 21; selected revisions: 1  
description:

-----  
revision 1.14  
date: 1995/03/29 22:14:02; author: ong; state: Exp; lines: +3 -3  
Changed clock spar power pillar generation methodology

=====

RCS file: /p/cvsroot/atlas/baseplate/sharedbaseplate.sgen.m4,v  
working file: atlas/baseplate/sharedbaseplate.sgen.m4

cf Mar 28-April 3 1995.log

head: 1.41  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.41  
keyword substitution: kv  
total revisions: 41;     selected revisions: 2  
description:

-----  
revision 1.16  
date: 1995/03/29 22:42:51; author: ong; state: Exp; lines: +15 -2  
Added instantiations of "clkdrv" to clock spars

-----  
revision 1.15  
date: 1995/03/29 22:14:04; author: ong; state: Exp; lines: +43 -32  
Changed clock spar power pillar generation methodology  
=====

RCS file: /p/cvsroot/atlas/compass/BOM,v  
working file: atlas/compass/BOM  
head: 10.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 10.0  
keyword substitution: kv  
total revisions: 217;     selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 2.7  
date: 1995/03/31 22:07:06; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts

x112dandn20s.ly  
x112dorn20s.ly  
x117dandn20s.ly  
x117dorn20s.ly  
x12andn10s.ly  
x12andn160s.ly  
x12andn20s.ly  
x12andn40s.ly  
x12andn80s.ly  
x12dandn10s.ly  
x12dorn10s.ly  
x12muxn10s.ly  
x12muxn160s.ly  
x12muxn20s.ly  
x12muxn40s.ly  
x12muxn80s.ly  
x12orn10s.ly  
x12orn160s.ly  
x12orn20s.ly  
x12orn40s.ly  
x12orn80s.ly  
x13andn10s.ly  
x13andn160s.ly  
x13andn20s.ly  
x13andn40s.ly  
x13andn80s.ly  
x13dandn10s.ly  
x13dorn10s.ly

cf Mar 28-April 3 1995.log

x13muxn10s.ly  
x13muxn160s.ly  
x13muxn20s.ly  
x13muxn40s.ly  
x13muxn80s.ly  
x13orn10s.ly  
x13orn160s.ly  
x13orn20s.ly  
x13orn40s.ly  
x13orn80s.ly  
x14andn10s.ly  
x14andn160s.ly  
x14andn20s.ly  
x14andn40s.ly  
x14andn80s.ly  
x14dandn10s.ly  
x14dorn10s.ly  
x14muxn10s.ly  
x14muxn160s.ly  
x14muxn20s.ly  
x14muxn40s.ly  
x14muxn80s.ly  
x14orn10s.ly  
x14orn160s.ly  
x14orn20s.ly  
x14orn40s.ly  
x14orn80s.ly  
x15muxn10s.ly  
x15muxn160s.ly  
x15muxn20s.ly  
x15muxn40s.ly  
x15muxn80s.ly  
x16dandn10s.ly  
x16dorn10s.ly  
x16muxn10s.ly  
x16muxn160s.ly  
x16muxn20s.ly  
x16muxn40s.ly  
x16muxn80s.ly  
x17muxn10s.ly  
x17muxn160s.ly  
x17muxn20s.ly  
x17muxn40s.ly  
x17muxn80s.ly  
x18dandn10s.ly  
x18dorn10s.ly  
x18muxn10s.ly  
x18muxn160s.ly  
x18muxn20s.ly  
x18muxn40s.ly  
x18muxn80s.ly  
x1bufn10s.ly  
x1bufn160s.ly  
x1bufn20s.ly  
x1bufn40s.ly  
x1bufn80s.ly  
x1d1aq10s.ly  
x1d1aq160s.ly  
x1d1aq20s.ly  
x1d1aq40s.ly  
x1d1aq80s.ly  
x1d1bq10s.ly  
x1d1bq160s.ly

cf Mar 28-April 3 1995.log

xld1bq20s.ly  
xld1bq40s.ly  
xld1bq80s.ly  
xllan10s.ly  
xllan160s.ly  
xllan20s.ly  
xllan40s.ly  
xllan80s.ly  
xllbn10s.ly  
xllbn160s.ly  
xllbn20s.ly  
xllbn40s.ly  
xllbn80s.ly

Added uh\_ cells to half of these cells.

-----  
revision 2.6  
date: 1995/03/29 22:17:50; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

=====

RCS file: /p/cvsroot/atlas/compass/layouts/BOM,v  
Working file: atlas/compass/layouts/BOM  
head: 75.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 75.0  
keyword substitution: kv  
total revisions: 278; selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 4.4  
date: 1995/03/31 22:06:52; author: ong; state: Exp; lines: +402 -6  
Release Target: atlas/compass/layouts

xll2dandn20s.ly  
xll2dorn20s.ly  
xll17dandn20s.ly  
xll17dorn20s.ly  
xll2andn10s.ly  
xll2andn160s.ly  
xll2andn20s.ly  
xll2andn40s.ly  
xll2andn80s.ly  
xll2dandn10s.ly  
xll2dorn10s.ly  
xll2muxn10s.ly  
xll2muxn160s.ly  
xll2muxn20s.ly  
xll2muxn40s.ly  
xll2muxn80s.ly  
xll2orn10s.ly  
xll2orn160s.ly  
xll2orn20s.ly  
xll2orn40s.ly  
xll2orn80s.ly  
xll3andn10s.ly  
xll3andn160s.ly

cf Mar 28-April 3 1995.log

x13andn20s.ly  
x13andn40s.ly  
x13andn80s.ly  
x13dandn10s.ly  
x13dorn10s.ly  
x13muxn10s.ly  
x13muxn160s.ly  
x13muxn20s.ly  
x13muxn40s.ly  
x13muxn80s.ly  
x13orn10s.ly  
x13orn160s.ly  
x13orn20s.ly  
x13orn40s.ly  
x13orn80s.ly  
x14andn10s.ly  
x14andn160s.ly  
x14andn20s.ly  
x14andn40s.ly  
x14andn80s.ly  
x14dandn10s.ly  
x14dorn10s.ly  
x14muxn10s.ly  
x14muxn160s.ly  
x14muxn20s.ly  
x14muxn40s.ly  
x14muxn80s.ly  
x14orn10s.ly  
x14orn160s.ly  
x14orn20s.ly  
x14orn40s.ly  
x14orn80s.ly  
x15muxn10s.ly  
x15muxn160s.ly  
x15muxn20s.ly  
x15muxn40s.ly  
x15muxn80s.ly  
x16dandn10s.ly  
x16dorn10s.ly  
x16muxn10s.ly  
x16muxn160s.ly  
x16muxn20s.ly  
x16muxn40s.ly  
x16muxn80s.ly  
x17muxn10s.ly  
x17muxn160s.ly  
x17muxn20s.ly  
x17muxn40s.ly  
x17muxn80s.ly  
x18dandn10s.ly  
x18dorn10s.ly  
x18muxn10s.ly  
x18muxn160s.ly  
x18muxn20s.ly  
x18muxn40s.ly  
x18muxn80s.ly  
x1bufn10s.ly  
x1bufn160s.ly  
x1bufn20s.ly  
x1bufn40s.ly  
x1bufn80s.ly  
x1d1aq10s.ly  
x1d1aq160s.ly



cf Mar 28-April 3 1995.log

xldlaq20s.ly  
xldlaq40s.ly  
xldlaq80s.ly  
xldlbq10s.ly  
xldlbq160s.ly  
xldlbq20s.ly  
xldlbq40s.ly  
xldlbq80s.ly  
xllan10s.ly  
xllan160s.ly  
xllan20s.ly  
xllan40s.ly  
xllan80s.ly  
xllbn10s.ly  
xllbn160s.ly  
xllbn20s.ly  
xllbn40s.ly  
xllbn80s.ly

Added uh\_ cells to half of these cells.

-----  
revision 4.3  
date: 1995/03/29 22:17:40; author: ong; state: Exp; lines: +5 -1  
Release Target: atlas/compass/layouts  
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

=====

RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v  
Working file: atlas/compass/layouts/atlas.db  
head: 1.136  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.136  
keyword substitution: kv  
total revisions: 136; selected revisions: 4  
description:

-----  
revision 1.37  
date: 1995/03/31 22:40:01; author: chip; state: Exp; lines: +68 -66  
periodic checkin of Fri Mar 31 14:39:58 PST 1995

-----  
revision 1.36  
date: 1995/03/30 00:38:02; author: chip; state: Exp; lines: +30 -28  
periodic checkin of Wed Mar 29 16:37:58 PST 1995

-----  
revision 1.35  
date: 1995/03/28 19:04:32; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Tue Mar 28 11:04:28 PST 1995

-----  
revision 1.34  
date: 1995/03/28 17:45:00; author: chip; state: Exp; lines: +26 -26  
periodic checkin of Tue Mar 28 09:44:55 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgt12to64.ly,v  
Working file: atlas/compass/layouts/cgt12to64.ly  
head: 4.3  
branch:  
locks: strict

cf Mar 28-April 3 1995.log

```
access list:
symbolic names:
    b4_rich: 4.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/30 18:50:12; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:50:09 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgt13nms.ly,v
working file: atlas/compass/layouts/cgt13nms.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/28 17:18:24; author: chip; state: Exp;
periodic checkin of Tue Mar 28 09:18:20 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgt15nms.ly,v
working file: atlas/compass/layouts/cgt15nms.ly
head: 4.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 4.1
date: 1995/03/28 17:18:26; author: chip; state: Exp;
periodic checkin of Tue Mar 28 09:18:20 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgt16nms.ly,v
working file: atlas/compass/layouts/cgt16nms.ly
head: 4.5
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.5
keyword substitution: kv
total revisions: 5;    selected revisions: 1
description:
-----
revision 4.1
date: 1995/04/01 00:02:36; author: chip; state: Exp;
periodic checkin of Fri Mar 31 16:02:29 PST 1995
=====
```

cf Mar 28-April 3 1995.log  
RCS file: /p/cvsroot/atlas/compass/layouts/cgt7to16.ly,v  
working file: atlas/compass/layouts/cgt7to16.ly  
head: 4.1  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.1  
keyword substitution: kv  
total revisions: 1;    selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/30 18:50:14; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:50:09 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtddrv.ly,v  
working file: atlas/compass/layouts/cgtddrv.ly  
head: 4.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.5  
keyword substitution: kv  
total revisions: 5;    selected revisions: 1  
description:

-----  
revision 4.3  
date: 1995/03/29 01:34:47; author: chip; state: Exp; lines: +22 -21  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtfdec.ly,v  
working file: atlas/compass/layouts/cgtfdec.ly  
head: 4.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.4  
keyword substitution: kv  
total revisions: 4;    selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/30 18:50:16; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:50:09 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cgt1b.ly,v  
working file: atlas/compass/layouts/cgt1b.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10;    selected revisions: 1  
description:

-----  
revision 4.1

cf Mar 28-April 3 1995.log  
date: 1995/04/01 00:02:38; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 16:02:29 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm1col.ly,v  
working file: atlas/compass/layouts/cgtm1col.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10  
keyword substitution: kv  
total revisions: 10;      selected revisions: 2  
description:

---

revision 4.6  
date: 1995/03/31 00:47:37; author: chip; state: Exp; lines: +266 -266  
periodic checkin of Thu Mar 30 16:47:33 PST 1995

---

revision 4.5  
date: 1995/03/29 01:34:50; author: chip; state: Exp; lines: +276 -9  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm1col\_2x.ly,v  
working file: atlas/compass/layouts/cgtm1col\_2x.ly  
head: 4.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.5  
keyword substitution: kv  
total revisions: 5;      selected revisions: 2  
description:

---

revision 4.2  
date: 1995/03/31 00:47:39; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 30 16:47:33 PST 1995

---

revision 4.1  
date: 1995/03/29 01:34:51; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm2col.ly,v  
working file: atlas/compass/layouts/cgtm2col.ly  
head: 4.12  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.12  
keyword substitution: kv  
total revisions: 12;      selected revisions: 2  
description:

---

revision 4.2  
date: 1995/03/31 01:07:04; author: chip; state: Exp; lines: +392 -392  
periodic checkin of Thu Mar 30 17:06:57 PST 1995

---

revision 4.1

cf Mar 28-April 3 1995.log  
date: 1995/03/29 01:34:54; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm64x58.ly,v  
working file: atlas/compass/layouts/cgtm64x58.ly  
head: 4.18  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.18  
keyword substitution: kv  
total revisions: 18; selected revisions: 3  
description:

---

revision 4.3  
date: 1995/04/01 00:05:52; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Fri Mar 31 16:05:46 PST 1995

---

revision 4.2  
date: 1995/03/31 22:04:33; author: chip; state: Exp; lines: +4266 -70  
periodic checkin of Fri Mar 31 14:04:28 PST 1995

---

revision 4.1  
date: 1995/03/29 01:34:56; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm8col.ly,v  
working file: atlas/compass/layouts/cgtm8col.ly  
head: 4.16  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.16  
keyword substitution: kv  
total revisions: 16; selected revisions: 3  
description:

---

revision 4.3  
date: 1995/03/31 22:04:38; author: chip; state: Exp; lines: +2 -130  
periodic checkin of Fri Mar 31 14:04:28 PST 1995

---

revision 4.2  
date: 1995/03/31 01:07:07; author: chip; state: Exp; lines: +782 -782  
periodic checkin of Thu Mar 30 17:06:57 PST 1995

---

revision 4.1  
date: 1995/03/29 01:34:59; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmatch.ly,v  
working file: atlas/compass/layouts/cgtmatch.ly  
head: 4.16  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.16  
keyword substitution: kv

cf Mar 28-April 3 1995.log  
total revisions: 16; selected revisions: 5  
description:

-----  
revision 4.11  
date: 1995/03/31 22:07:51; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 31 14:07:48 PST 1995  
-----

revision 4.10  
date: 1995/03/31 02:51:44; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 18:51:40 PST 1995  
-----

revision 4.9  
date: 1995/03/31 02:48:27; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 18:48:22 PST 1995  
-----

revision 4.8  
date: 1995/03/31 01:07:09; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Thu Mar 30 17:06:57 PST 1995  
-----

revision 4.7  
date: 1995/03/29 01:35:02; author: chip; state: Exp; lines: +43 -64  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmatn1.ly,v  
working file: atlas/compass/layouts/cgtmatn1.ly  
head: 4.12  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.12  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/31 01:03:28; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 17:03:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmiss.ly,v  
working file: atlas/compass/layouts/cgtmiss.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/04/01 00:02:41; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmnor.ly,v  
working file: atlas/compass/layouts/cgtmnor.ly  
head: 4.17  
branch:  
locks: strict

cf Mar 28-April 3 1995.log

access list:

symbolic names:

b4\_rich: 4.17

keyword substitution: kv

total revisions: 17; selected revisions: 4

description:

-----  
revision 4.5

date: 1995/03/31 01:07:11; author: chip; state: Exp; lines: +7 -6  
periodic checkin of Thu Mar 30 17:06:57 PST 1995

-----  
revision 4.4

date: 1995/03/29 13:54:28; author: chip; state: Exp; lines: +4 -5  
periodic checkin of Wed Mar 29 05:54:24 PST 1995

-----  
revision 4.3

date: 1995/03/29 02:13:30; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Tue Mar 28 18:13:26 PST 1995

-----  
revision 4.2

date: 1995/03/29 01:35:04; author: chip; state: Exp; lines: +6 -40  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmpu.ly,v

working file: atlas/compass/layouts/cgtmpu.ly

head: 4.19

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.19

keyword substitution: kv

total revisions: 19; selected revisions: 3

description:

-----  
revision 4.4

date: 1995/03/31 23:54:03; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Fri Mar 31 15:54:00 PST 1995

-----  
revision 4.3

date: 1995/03/29 02:13:32; author: chip; state: Exp; lines: +87 -41  
periodic checkin of Tue Mar 28 18:13:26 PST 1995

-----  
revision 4.2

date: 1995/03/29 01:35:06; author: chip; state: Exp; lines: +178 -142  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmsa.ly,v

working file: atlas/compass/layouts/cgtmsa.ly

head: 4.20

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.20

keyword substitution: kv

total revisions: 20; selected revisions: 3

description:

-----  
revision 4.4

date: 1995/03/31 02:48:30; author: chip; state: Exp; lines: +4 -6

cf Mar 28-April 3 1995.log  
periodic checkin of Thu Mar 30 18:48:22 PST 1995

-----  
revision 4.3  
date: 1995/03/31 02:04:30; author: chip; state: Exp; lines: +16 -13  
periodic checkin of Thu Mar 30 18:04:24 PST 1995

-----  
revision 4.2  
date: 1995/03/29 01:35:09; author: chip; state: Exp; lines: +330 -252  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtnm.ly,v  
working file: atlas/compass/layouts/cgtnm.ly  
head: 4.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/04/01 00:02:43; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtnms\_8u.ly,v  
working file: atlas/compass/layouts/cgtnms\_8u.ly  
head: 4.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.4  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/29 01:35:12; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtpred.ly,v  
working file: atlas/compass/layouts/cgtpred.ly  
head: 4.9  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.9  
keyword substitution: kv  
total revisions: 9; selected revisions: 3  
description:  
-----

revision 4.3  
date: 1995/03/31 01:58:29; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Thu Mar 30 17:58:25 PST 1995

-----  
revision 4.2  
date: 1995/03/31 01:47:16; author: chip; state: Exp; lines: +8 -6



cf Mar 28-April 3 1995.log  
periodic checkin of Thu Mar 30 17:47:12 PST 1995

-----  
revision 4.1  
date: 1995/03/30 18:52:19; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:52:15 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtrdec.ly,v  
working file: atlas/compass/layouts/cgtrdec.ly  
head: 4.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.6  
keyword substitution: kv  
total revisions: 6;    selected revisions: 2  
description:  
-----

revision 4.2  
date: 1995/03/30 23:51:37; author: chip; state: Exp; lines: +106 -106  
periodic checkin of Thu Mar 30 15:51:33 PST 1995  
-----

revision 4.1  
date: 1995/03/30 18:54:26; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtrdn1.ly,v  
working file: atlas/compass/layouts/cgtrdn1.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10  
keyword substitution: kv  
total revisions: 10;    selected revisions: 2  
description:  
-----

revision 4.2  
date: 1995/03/31 01:15:50; author: chip; state: Exp; lines: +235 -237  
periodic checkin of Thu Mar 30 17:15:45 PST 1995  
-----

revision 4.1  
date: 1995/03/29 01:35:14; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtsa.ly,v  
working file: atlas/compass/layouts/cgtsa.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11;    selected revisions: 5  
description:  
-----

revision 4.6  
date: 1995/03/31 17:36:38; author: chip; state: Exp; lines: +3 -4

cf Mar 28-April 3 1995.log  
periodic checkin of Fri Mar 31 09:36:32 PST 1995

-----  
revision 4.5  
date: 1995/03/31 02:51:46; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 18:51:40 PST 1995

-----  
revision 4.4  
date: 1995/03/31 02:48:32; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Thu Mar 30 18:48:22 PST 1995

-----  
revision 4.3  
date: 1995/03/31 01:15:52; author: chip; state: Exp; lines: +27 -25  
periodic checkin of Thu Mar 30 17:15:45 PST 1995

-----  
revision 4.2  
date: 1995/03/29 01:35:17; author: chip; state: Exp; lines: +29 -26  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtvapnff.ly,v  
working file: atlas/compass/layouts/cgtvapnff.ly  
head: 4.20  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.20  
keyword substitution: kv  
total revisions: 20; selected revisions: 7  
description:

-----  
revision 4.8  
date: 1995/03/31 17:36:41; author: chip; state: Exp; lines: +10 -10  
periodic checkin of Fri Mar 31 09:36:32 PST 1995

-----  
revision 4.7  
date: 1995/03/31 02:51:49; author: chip; state: Exp; lines: +10 -10  
periodic checkin of Thu Mar 30 18:51:40 PST 1995

-----  
revision 4.6  
date: 1995/03/31 02:32:15; author: chip; state: Exp; lines: +20 -2  
periodic checkin of Thu Mar 30 18:32:08 PST 1995

-----  
revision 4.5  
date: 1995/03/31 02:11:18; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 18:11:12 PST 1995

-----  
revision 4.4  
date: 1995/03/31 02:04:33; author: chip; state: Exp; lines: +9 -10  
periodic checkin of Thu Mar 30 18:04:24 PST 1995

-----  
revision 4.3  
date: 1995/03/31 01:15:55; author: chip; state: Exp; lines: +402 -405  
periodic checkin of Thu Mar 30 17:15:45 PST 1995

-----  
revision 4.2  
date: 1995/03/29 01:38:08; author: chip; state: Exp; lines: +18 -18  
periodic checkin of Tue Mar 28 17:38:03 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxddrv.ly,v  
working file: atlas/compass/layouts/cgtxddrv.ly  
head: 4.7

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7;    selected revisions: 4  
description:

-----  
revision 4.5  
date: 1995/04/01 00:02:45; author: chip; state: Exp; lines: +23 -10  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
-----

revision 4.4  
date: 1995/03/31 03:40:52; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Thu Mar 30 19:40:47 PST 1995  
-----

revision 4.3  
date: 1995/03/30 23:39:48; author: chip; state: Exp; lines: +7 -9  
periodic checkin of Thu Mar 30 15:39:44 PST 1995  
-----

revision 4.2  
date: 1995/03/30 18:54:28; author: chip; state: Exp; lines: +14 -17  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxor.ly,v  
working file: atlas/compass/layouts/cgtxor.ly  
head: 4.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.6  
keyword substitution: kv  
total revisions: 6;    selected revisions: 3  
description:

-----  
revision 4.4  
date: 1995/03/31 03:40:54; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 19:40:47 PST 1995  
-----

revision 4.3  
date: 1995/03/31 02:54:59; author: chip; state: Exp; lines: +41 -41  
periodic checkin of Thu Mar 30 18:54:56 PST 1995  
-----

revision 4.2  
date: 1995/03/30 18:54:29; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxr1col.ly,v  
working file: atlas/compass/layouts/cgtxr1col.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10  
keyword substitution: kv  
total revisions: 10;    selected revisions: 5  
description:

cf Mar 28-April 3 1995.log

revision 4.6

date: 1995/04/01 00:02:48; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.5

date: 1995/03/31 02:55:01; author: chip; state: Exp; lines: +228 -142  
periodic checkin of Thu Mar 30 18:54:56 PST 1995

revision 4.4

date: 1995/03/31 00:14:06; author: chip; state: Exp; lines: +3 -2  
periodic checkin of Thu Mar 30 16:14:02 PST 1995

revision 4.3

date: 1995/03/30 23:39:50; author: chip; state: Exp; lines: +59 -59  
periodic checkin of Thu Mar 30 15:39:44 PST 1995

revision 4.2

date: 1995/03/30 18:54:31; author: chip; state: Exp; lines: +222 -335  
periodic checkin of Thu Mar 30 10:54:22 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxr2col.ly,v

working file: atlas/compass/layouts/cgtxr2col.ly

head: 4.8

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.8

keyword substitution: kv

total revisions: 8; selected revisions: 3

description:

revision 4.4

date: 1995/04/01 00:02:50; author: chip; state: Exp; lines: +16 -13  
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.3

date: 1995/03/31 03:40:55; author: chip; state: Exp; lines: +313 -201  
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.2

date: 1995/03/30 18:54:32; author: chip; state: Exp; lines: +221 -7  
periodic checkin of Thu Mar 30 10:54:22 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxr74col.ly,v

working file: atlas/compass/layouts/cgtxr74col.ly

head: 4.6

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 4.2

date: 1995/04/01 00:02:52; author: chip; state: Exp; lines: +1144 -7  
periodic checkin of Fri Mar 31 16:02:29 PST 1995

cf Mar 28-April 3 1995.log  
RCS file: /p/cvsroot/atlas/compass/layouts/cgtxr8col.ly,v  
working file: atlas/compass/layouts/cgtxr8col.ly  
head: 4.9  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.9  
keyword substitution: kv  
total revisions: 9;    selected revisions: 2  
description:

-----  
revision 4.3  
date: 1995/04/01 00:02:54; author: chip; state: Exp; lines: +388 -329  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
-----

revision 4.2  
date: 1995/03/30 18:56:31; author: chip; state: Exp; lines: +357 -7  
periodic checkin of Thu Mar 30 10:56:28 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxrdn1.ly,v  
working file: atlas/compass/layouts/cgtxrdn1.ly  
head: 4.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/31 03:40:57; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Thu Mar 30 19:40:47 PST 1995  
-----

revision 4.1  
date: 1995/03/30 18:54:34; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxsa.ly,v  
working file: atlas/compass/layouts/cgtxsa.ly  
head: 4.9  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.9  
keyword substitution: kv  
total revisions: 9;    selected revisions: 3  
description:

-----  
revision 4.4  
date: 1995/04/01 00:02:57; author: chip; state: Exp; lines: +8 -3  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
-----

revision 4.3  
date: 1995/03/31 03:40:58; author: chip; state: Exp; lines: +9 -9  
periodic checkin of Thu Mar 30 19:40:47 PST 1995  
-----

revision 4.2

cf Mar 28-April 3 1995.log  
date: 1995/03/30 18:54:35; author: chip; state: Exp; lines: +8 -15  
periodic checkin of Thu Mar 30 10:54:22 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_base.ly,v  
working file: atlas/compass/layouts/pad\_base.ly  
head: 4.15  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.15  
keyword substitution: kv  
total revisions: 15; selected revisions: 4  
description:

---

revision 4.4  
date: 1995/03/30 00:35:23; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 29 16:35:18 PST 1995

---

revision 4.3  
date: 1995/03/29 21:46:12; author: chip; state: Exp; lines: +16 -13  
periodic checkin of Wed Mar 29 13:46:10 PST 1995

---

revision 4.2  
date: 1995/03/28 19:04:34; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Tue Mar 28 11:04:28 PST 1995

---

revision 4.1  
date: 1995/03/28 17:45:02; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 09:44:55 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_hem.ly,v  
working file: atlas/compass/layouts/pad\_hem.ly  
head: 4.17  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.17  
keyword substitution: kv  
total revisions: 17; selected revisions: 3  
description:

---

revision 4.7  
date: 1995/03/30 00:58:04; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 29 16:58:00 PST 1995

---

revision 4.6  
date: 1995/03/30 00:35:24; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Wed Mar 29 16:35:18 PST 1995

---

revision 4.5  
date: 1995/03/29 21:46:13; author: chip; state: Exp; lines: +79 -4  
periodic checkin of Wed Mar 29 13:46:10 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_n\_static.ly,v  
working file: atlas/compass/layouts/pad\_n\_static.ly  
head: 4.15  
branch:  
locks: strict

cf Mar 28-April 3 1995.log

access list:  
symbolic names:  
    b4\_rich: 4.15  
keyword substitution: kv  
total revisions: 15;    selected revisions: 1  
description:

-----  
revision 4.6  
date: 1995/03/30 18:08:29; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 30 10:08:24 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_vcell1.ly,v  
working file: atlas/compass/layouts/pad\_vcell1.ly  
head: 4.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.4  
keyword substitution: kv  
total revisions: 4;    selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/29 21:44:16; author: chip; state: Exp;  
periodic checkin of Wed Mar 29 13:44:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_vcell2.ly,v  
working file: atlas/compass/layouts/pad\_vcell2.ly  
head: 4.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/29 21:44:18; author: chip; state: Exp;  
periodic checkin of Wed Mar 29 13:44:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad\_vcell3.ly,v  
working file: atlas/compass/layouts/pad\_vcell3.ly  
head: 4.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/29 21:49:44; author: chip; state: Exp;  
periodic checkin of Wed Mar 29 13:49:41 PST 1995  
=====

cf Mar 28-April 3 1995.log  
RCS file: /p/cvsroot/atlas/compass/layouts/pad\_vcell14.ly,v  
Working file: atlas/compass/layouts/pad\_vcell14.ly  
head: 4.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.4  
keyword substitution: kv  
total revisions: 4;    selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/30 00:35:26; author: chip; state: Exp;  
periodic checkin of Wed Mar 29 16:35:18 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padhib.ly,v  
Working file: atlas/compass/layouts/padhib.ly  
head: 4.34  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.34  
keyword substitution: kv  
total revisions: 34;    selected revisions: 3  
description:

-----  
revision 4.16  
date: 1995/03/30 18:04:17; author: chip; state: Exp; lines: +3 -2  
periodic checkin of Thu Mar 30 10:04:12 PST 1995  
-----

revision 4.15  
date: 1995/03/30 00:35:28; author: chip; state: Exp; lines: +13 -32  
periodic checkin of Wed Mar 29 16:35:18 PST 1995  
-----

revision 4.14  
date: 1995/03/28 17:42:54; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Tue Mar 28 09:42:49 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvdd.ly,v  
Working file: atlas/compass/layouts/padintvdd.ly  
head: 4.16  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.16  
keyword substitution: kv  
total revisions: 16;    selected revisions: 1  
description:

-----  
revision 4.7  
date: 1995/03/31 22:50:21; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Fri Mar 31 14:50:16 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvss.ly,v  
Working file: atlas/compass/layouts/padintvss.ly  
head: 4.17  
branch:



cf Mar 28-April 3 1995.log

locks: strict

access list:

symbolic names:

b4\_rich: 4.17

keyword substitution: kv

total revisions: 17; selected revisions: 1

description:

-----  
revision 4.7

date: 1995/03/31 22:50:25; author: chip; state: Exp; lines: +4 -4

periodic checkin of Fri Mar 31 14:50:16 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padttl.ly,v

working file: atlas/compass/layouts/padttl.ly

head: 4.23

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.23

keyword substitution: kv

total revisions: 23; selected revisions: 3

description:

-----  
revision 4.15

date: 1995/03/30 18:04:19; author: chip; state: Exp; lines: +3 -2

periodic checkin of Thu Mar 30 10:04:12 PST 1995  
-----

revision 4.14

date: 1995/03/30 00:35:30; author: chip; state: Exp; lines: +13 -32

periodic checkin of Wed Mar 29 16:35:18 PST 1995  
-----

revision 4.13

date: 1995/03/28 17:42:56; author: chip; state: Exp; lines: +3 -3

periodic checkin of Tue Mar 28 09:42:49 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v

working file: atlas/compass/layouts/padvdd.ly

head: 2.38

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 2.38

keyword substitution: kv

total revisions: 38; selected revisions: 6

description:

-----  
revision 2.27

date: 1995/03/30 18:04:21; author: chip; state: Exp; lines: +3 -2

periodic checkin of Thu Mar 30 10:04:12 PST 1995  
-----

revision 2.26

date: 1995/03/30 01:09:30; author: chip; state: Exp; lines: +3 -3

periodic checkin of Wed Mar 29 17:09:26 PST 1995  
-----

revision 2.25

date: 1995/03/30 00:35:32; author: chip; state: Exp; lines: +2 -2

periodic checkin of Wed Mar 29 16:35:18 PST 1995  
-----

revision 2.24

cf Mar 28-April 3 1995.log  
date: 1995/03/29 21:42:20; author: chip; state: Exp; lines: +9 -5  
periodic checkin of Wed Mar 29 13:42:17 PST 1995

-----  
revision 2.23  
date: 1995/03/29 19:09:52; author: chip; state: Exp; lines: +11 -29  
periodic checkin of Wed Mar 29 11:09:48 PST 1995

-----  
revision 2.22  
date: 1995/03/28 17:42:57; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Tue Mar 28 09:42:49 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/padvddio.ly,v  
working file: atlas/compass/layouts/padvddio.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 6  
description:

-----  
revision 4.6  
date: 1995/03/30 18:27:39; author: chip; state: Exp; lines: +3 -2  
periodic checkin of Thu Mar 30 10:27:35 PST 1995

-----  
revision 4.5  
date: 1995/03/30 00:58:06; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 29 16:58:00 PST 1995

-----  
revision 4.4  
date: 1995/03/29 21:49:46; author: chip; state: Exp; lines: +12 -11  
periodic checkin of Wed Mar 29 13:49:41 PST 1995

-----  
revision 4.3  
date: 1995/03/28 19:31:52; author: chip; state: Exp; lines: +6 -13  
periodic checkin of Tue Mar 28 11:31:47 PST 1995

-----  
revision 4.2  
date: 1995/03/28 19:10:24; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Tue Mar 28 11:10:18 PST 1995

-----  
revision 4.1  
date: 1995/03/28 19:01:56; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 11:01:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvss.ly,v  
working file: atlas/compass/layouts/padvss.ly  
head: 4.31  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 4.31  
keyword substitution: kv  
total revisions: 31; selected revisions: 4  
description:

-----  
revision 4.16  
date: 1995/03/31 00:23:16; author: chip; state: Exp; lines: +6 -4  
periodic checkin of Thu Mar 30 16:23:12 PST 1995

cf Mar 28-April 3 1995.log

-----  
revision 4.15  
date: 1995/03/30 18:04:23; author: chip; state: Exp; lines: +9 -8  
periodic checkin of Thu Mar 30 10:04:12 PST 1995  
-----

revision 4.14  
date: 1995/03/29 21:44:19; author: chip; state: Exp; lines: +17 -31  
periodic checkin of Wed Mar 29 13:44:12 PST 1995  
-----

revision 4.13  
date: 1995/03/28 17:42:59; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Tue Mar 28 09:42:49 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/paguardring.ly,v  
working file: atlas/compass/layouts/paguardring.ly  
head: 4.12  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.12  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:  
-----

revision 4.3  
date: 1995/03/30 18:04:25; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Thu Mar 30 10:04:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pascribeseal\_crn.ly,v  
working file: atlas/compass/layouts/pascribeseal\_crn.ly  
head: 4.17  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.17  
keyword substitution: kv  
total revisions: 17; selected revisions: 1  
description:  
-----

revision 4.5  
date: 1995/03/30 18:04:26; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 30 10:04:12 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_48x1.ly,v  
working file: atlas/compass/layouts/uh\_48x1.ly  
head: 4.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/31 21:42:30; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh\_53x1.ly,v  
working file: atlas/compass/layouts/uh\_53x1.ly  
head: 4.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/31 21:42:32; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v  
working file: atlas/compass/layouts/vlsi.log  
head: 1.3654  
branch:  
locks: strict  
access list:  
symbolic names:  
b4\_rich: 1.3654  
keyword substitution: kv  
total revisions: 3654; selected revisions: 114  
description:

-----  
revision 1.680  
date: 1995/04/03 04:57:51; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Sun Apr 2 21:57:44 PDT 1995  
-----

revision 1.679  
date: 1995/04/01 00:06:03; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 31 16:05:46 PST 1995  
-----

revision 1.678  
date: 1995/04/01 00:03:02; author: chip; state: Exp; lines: +20 -0  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
-----

revision 1.677  
date: 1995/03/31 23:51:10; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 15:51:04 PST 1995  
-----

revision 1.676  
date: 1995/03/31 22:50:32; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 14:50:16 PST 1995  
-----

revision 1.675  
date: 1995/03/31 22:47:28; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 14:47:20 PST 1995  
-----

revision 1.674  
date: 1995/03/31 22:37:20; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Fri Mar 31 14:37:13 PST 1995  
-----

revision 1.673  
date: 1995/03/31 22:34:25; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 14:34:14 PST 1995  
-----

revision 1.672  
date: 1995/03/31 22:04:45; author: chip; state: Exp; lines: +7 -0

cf Mar 28-April 3 1995.log

periodic checkin of Fri Mar 31 14:04:28 PST 1995

---

revision 1.671  
date: 1995/03/31 21:50:23; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 31 13:50:14 PST 1995

---

revision 1.670  
date: 1995/03/31 21:46:09; author: chip; state: Exp; lines: +66 -0  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

revision 1.669  
date: 1995/03/31 21:42:37; author: chip; state: Exp; lines: +37 -0  
periodic checkin of Fri Mar 31 13:42:22 PST 1995

---

revision 1.668  
date: 1995/03/31 21:39:09; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 31 13:39:01 PST 1995

---

revision 1.667  
date: 1995/03/31 21:36:02; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 13:35:56 PST 1995

---

revision 1.666  
date: 1995/03/31 21:33:00; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 13:32:53 PST 1995

---

revision 1.665  
date: 1995/03/31 21:30:19; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 13:30:13 PST 1995

---

revision 1.664  
date: 1995/03/31 21:27:39; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 13:27:32 PST 1995

---

revision 1.663  
date: 1995/03/31 21:25:02; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 31 13:24:56 PST 1995

---

revision 1.662  
date: 1995/03/31 21:22:22; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 31 13:22:15 PST 1995

---

revision 1.661  
date: 1995/03/31 21:19:46; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Fri Mar 31 13:19:40 PST 1995

---

revision 1.660  
date: 1995/03/31 21:17:02; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 31 13:16:55 PST 1995

---

revision 1.659  
date: 1995/03/31 21:14:28; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 13:14:21 PST 1995

---

revision 1.658  
date: 1995/03/31 21:11:48; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Fri Mar 31 13:11:42 PST 1995

---

revision 1.657  
date: 1995/03/31 21:09:05; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 13:08:52 PST 1995

---

revision 1.656

cf Mar 28-April 3 1995.log  
date: 1995/03/31 19:38:18; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 11:38:07 PST 1995  
-----  
revision 1.655  
date: 1995/03/31 19:35:14; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 31 11:35:07 PST 1995  
-----  
revision 1.654  
date: 1995/03/31 19:31:42; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 31 11:31:33 PST 1995  
-----  
revision 1.653  
date: 1995/03/31 19:28:06; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 11:27:55 PST 1995  
-----  
revision 1.652  
date: 1995/03/31 19:05:00; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 11:04:52 PST 1995  
-----  
revision 1.651  
date: 1995/03/31 18:59:55; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 10:59:47 PST 1995  
-----  
revision 1.650  
date: 1995/03/31 18:19:13; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 10:19:04 PST 1995  
-----  
revision 1.649  
date: 1995/03/31 18:03:07; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 10:03:00 PST 1995  
-----  
revision 1.648  
date: 1995/03/31 17:36:47; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Fri Mar 31 09:36:32 PST 1995  
-----  
revision 1.647  
date: 1995/03/31 07:04:22; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 23:04:16 PST 1995  
-----  
revision 1.646  
date: 1995/03/31 03:41:02; author: chip; state: Exp; lines: +10 -0  
periodic checkin of Thu Mar 30 19:40:47 PST 1995  
-----  
revision 1.645  
date: 1995/03/31 03:00:10; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 19:00:02 PST 1995  
-----  
revision 1.644  
date: 1995/03/31 02:57:40; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Thu Mar 30 18:57:35 PST 1995  
-----  
revision 1.643  
date: 1995/03/31 02:55:05; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Thu Mar 30 18:54:56 PST 1995  
-----  
revision 1.642  
date: 1995/03/31 02:51:53; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Thu Mar 30 18:51:40 PST 1995  
-----  
revision 1.641  
date: 1995/03/31 02:48:36; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Thu Mar 30 18:48:22 PST 1995  
-----

cf Mar 28-April 3 1995.log

revision 1.640

date: 1995/03/31 02:45:10; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Thu Mar 30 18:44:58 PST 1995

revision 1.639

date: 1995/03/31 02:41:42; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:41:34 PST 1995

revision 1.638

date: 1995/03/31 02:32:21; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 18:32:08 PST 1995

revision 1.637

date: 1995/03/31 02:20:31; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:20:23 PST 1995

revision 1.636

date: 1995/03/31 02:17:37; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:17:29 PST 1995

revision 1.635

date: 1995/03/31 02:14:32; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:14:25 PST 1995

revision 1.634

date: 1995/03/31 02:11:26; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 18:11:12 PST 1995

revision 1.633

date: 1995/03/31 02:08:10; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:08:01 PST 1995

revision 1.632

date: 1995/03/31 02:04:39; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Thu Mar 30 18:04:24 PST 1995

revision 1.631

date: 1995/03/31 01:58:34; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 17:58:25 PST 1995

revision 1.630

date: 1995/03/31 01:55:34; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 17:55:26 PST 1995

revision 1.629

date: 1995/03/31 01:47:21; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Thu Mar 30 17:47:12 PST 1995

revision 1.628

date: 1995/03/31 01:29:57; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 17:29:51 PST 1995

revision 1.627

date: 1995/03/31 01:19:04; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 17:18:53 PST 1995

revision 1.626

date: 1995/03/31 01:16:00; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 1.625

date: 1995/03/31 01:07:17; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 17:06:57 PST 1995

cf Mar 28-April 3 1995.log

-----  
revision 1.624  
date: 1995/03/31 01:03:37; author: chip; state: Exp; lines: +10 -0  
periodic checkin of Thu Mar 30 17:03:23 PST 1995  
-----  
revision 1.623  
date: 1995/03/31 00:47:43; author: chip; state: Exp; lines: +10 -0  
periodic checkin of Thu Mar 30 16:47:33 PST 1995  
-----  
revision 1.622  
date: 1995/03/31 00:23:20; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 16:23:12 PST 1995  
-----  
revision 1.621  
date: 1995/03/31 00:21:13; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 16:21:04 PST 1995  
-----  
revision 1.620  
date: 1995/03/31 00:14:10; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Thu Mar 30 16:14:02 PST 1995  
-----  
revision 1.619  
date: 1995/03/31 00:02:49; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 16:02:42 PST 1995  
-----  
revision 1.618  
date: 1995/03/30 23:51:41; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 15:51:33 PST 1995  
-----  
revision 1.617  
date: 1995/03/30 23:48:37; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 15:48:30 PST 1995  
-----  
revision 1.616  
date: 1995/03/30 23:39:56; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Thu Mar 30 15:39:44 PST 1995  
-----  
revision 1.615  
date: 1995/03/30 18:56:35; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 10:56:28 PST 1995  
-----  
revision 1.614  
date: 1995/03/30 18:54:39; author: chip; state: Exp; lines: +14 -0  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
-----  
revision 1.613  
date: 1995/03/30 18:52:23; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 10:52:15 PST 1995  
-----  
revision 1.612  
date: 1995/03/30 18:50:20; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Thu Mar 30 10:50:09 PST 1995  
-----  
revision 1.611  
date: 1995/03/30 18:27:43; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 10:27:35 PST 1995  
-----  
revision 1.610  
date: 1995/03/30 18:04:32; author: chip; state: Exp; lines: +12 -0  
periodic checkin of Thu Mar 30 10:04:12 PST 1995  
-----  
revision 1.609  
date: 1995/03/30 18:01:42; author: chip; state: Exp; lines: +7 -0



cf Mar 28-April 3 1995.log  
periodic checkin of Thu Mar 30 10:01:36 PST 1995  
-----  
revision 1.608  
date: 1995/03/30 17:59:30; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 09:59:24 PST 1995  
-----  
revision 1.607  
date: 1995/03/30 17:57:32; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 09:57:27 PST 1995  
-----  
revision 1.606  
date: 1995/03/30 17:40:59; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 09:40:53 PST 1995  
-----  
revision 1.605  
date: 1995/03/30 01:09:35; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 29 17:09:26 PST 1995  
-----  
revision 1.604  
date: 1995/03/30 00:58:11; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 29 16:58:00 PST 1995  
-----  
revision 1.603  
date: 1995/03/30 00:55:26; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 29 16:55:21 PST 1995  
-----  
revision 1.602  
date: 1995/03/30 00:53:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 16:52:57 PST 1995  
-----  
revision 1.601  
date: 1995/03/30 00:38:06; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 29 16:37:58 PST 1995  
-----  
revision 1.600  
date: 1995/03/30 00:35:36; author: chip; state: Exp; lines: +14 -0  
periodic checkin of Wed Mar 29 16:35:18 PST 1995  
-----  
revision 1.599  
date: 1995/03/30 00:32:43; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 16:32:37 PST 1995  
-----  
revision 1.598  
date: 1995/03/30 00:23:34; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 16:23:28 PST 1995  
-----  
revision 1.597  
date: 1995/03/30 00:01:59; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 16:01:53 PST 1995  
-----  
revision 1.596  
date: 1995/03/29 21:49:49; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Wed Mar 29 13:49:41 PST 1995  
-----  
revision 1.595  
date: 1995/03/29 21:44:22; author: chip; state: Exp; lines: +10 -0  
periodic checkin of Wed Mar 29 13:44:12 PST 1995  
-----  
revision 1.594  
date: 1995/03/29 21:42:24; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 29 13:42:17 PST 1995  
-----  
revision 1.593

cf Mar 28-April 3 1995.log  
date: 1995/03/29 19:20:56; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 11:20:50 PST 1995  
-----  
revision 1.592  
date: 1995/03/29 19:09:56; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 29 11:09:48 PST 1995  
-----  
revision 1.591  
date: 1995/03/29 18:56:49; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 29 10:56:44 PST 1995  
-----  
revision 1.590  
date: 1995/03/29 18:48:13; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 10:48:08 PST 1995  
-----  
revision 1.589  
date: 1995/03/29 18:45:50; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 10:45:45 PST 1995  
-----  
revision 1.588  
date: 1995/03/29 18:41:09; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 10:41:03 PST 1995  
-----  
revision 1.587  
date: 1995/03/29 18:38:25; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 10:38:19 PST 1995  
-----  
revision 1.586  
date: 1995/03/29 16:43:16; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 08:43:11 PST 1995  
-----  
revision 1.585  
date: 1995/03/29 16:31:42; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 08:31:36 PST 1995  
-----  
revision 1.584  
date: 1995/03/29 13:54:32; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 29 05:54:24 PST 1995  
-----  
revision 1.583  
date: 1995/03/29 02:13:36; author: chip; state: Exp; lines: +9 -0  
periodic checkin of Tue Mar 28 18:13:26 PST 1995  
-----  
revision 1.582  
date: 1995/03/29 01:38:15; author: chip; state: Exp; lines: +12 -0  
periodic checkin of Tue Mar 28 17:38:03 PST 1995  
-----  
revision 1.581  
date: 1995/03/29 01:35:21; author: chip; state: Exp; lines: +34 -0  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
-----  
revision 1.580  
date: 1995/03/28 19:31:58; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Mar 28 11:31:47 PST 1995  
-----  
revision 1.579  
date: 1995/03/28 19:25:11; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 11:25:01 PST 1995  
-----  
revision 1.578  
date: 1995/03/28 19:10:28; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Tue Mar 28 11:10:18 PST 1995  
-----

cf Mar 28-April 3 1995.log

revision 1.577

date: 1995/03/28 19:04:38; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Tue Mar 28 11:04:28 PST 1995

revision 1.576

date: 1995/03/28 18:59:22; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 10:59:14 PST 1995

revision 1.575

date: 1995/03/28 18:35:55; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 10:35:48 PST 1995

revision 1.574

date: 1995/03/28 18:13:12; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 10:13:04 PST 1995

revision 1.573

date: 1995/03/28 17:45:07; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Mar 28 09:44:55 PST 1995

revision 1.572

date: 1995/03/28 17:43:03; author: chip; state: Exp; lines: +11 -0  
periodic checkin of Tue Mar 28 09:42:49 PST 1995

revision 1.571

date: 1995/03/28 17:40:56; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Mar 28 09:40:51 PST 1995

revision 1.570

date: 1995/03/28 17:37:10; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 09:37:02 PST 1995

revision 1.569

date: 1995/03/28 17:27:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 09:26:58 PST 1995

revision 1.568

date: 1995/03/28 17:18:31; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Mar 28 09:18:20 PST 1995

revision 1.567

date: 1995/03/28 17:04:31; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 09:04:23 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl12dandn20s.ly,v

working file: atlas/compass/layouts/xl12dandn20s.ly

head: 4.6

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:42:42; author: chip; state: Exp; lines: +9 -11  
periodic checkin of Fri Mar 31 13:42:22 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl12dorn20s.ly,v

cf Mar 28-April 3 1995.log  
Working file: atlas/compass/layouts/xl12dorn20s.ly

head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:43; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl17dandn20s.ly,v

Working file: atlas/compass/layouts/xl17dandn20s.ly

head: 4.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.6  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:45; author: chip; state: Exp; lines: +10 -12  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl17dorn20s.ly,v

Working file: atlas/compass/layouts/xl17dorn20s.ly

head: 4.9  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.9  
keyword substitution: kv  
total revisions: 9;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:47; author: chip; state: Exp; lines: +6 -8  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn10s.ly,v

Working file: atlas/compass/layouts/xl2andn10s.ly

head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10  
keyword substitution: kv  
total revisions: 10;     selected revisions: 1  
description:

-----  
revision 4.2

cf Mar 28-April 3 1995.log  
date: 1995/03/31 21:42:49; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:42:22 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn160s.ly,v  
Working file: atlas/compass/layouts/xl2andn160s.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:42:51; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn20s.ly,v  
Working file: atlas/compass/layouts/xl2andn20s.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.8  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:42:52; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn40s.ly,v  
Working file: atlas/compass/layouts/xl2andn40s.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:42:54; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:42:22 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn80s.ly,v  
Working file: atlas/compass/layouts/xl2andn80s.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10

cf Mar 28-April 3 1995.log

keyword substitution: kv  
total revisions: 10; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:56; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2dandn10s.ly,v  
working file: atlas/compass/layouts/xl2dandn10s.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 4.8  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:15; author: chip; state: Exp; lines: +7 -9  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2muxn160s.ly,v  
working file: atlas/compass/layouts/xl2muxn160s.ly  
head: 4.12  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 4.12  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:17; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2muxn40s.ly,v  
working file: atlas/compass/layouts/xl2muxn40s.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 4.8  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:58; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2muxn80s.ly,v  
working file: atlas/compass/layouts/xl2muxn80s.ly  
head: 4.10

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10  
keyword substitution: kv  
total revisions: 10;    selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:43:00; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn10s.ly,v  
working file: atlas/compass/layouts/xl3andn10s.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7;    selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:43:02; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn160s.ly,v  
working file: atlas/compass/layouts/xl3andn160s.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11;    selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:43:04; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn20s.ly,v  
working file: atlas/compass/layouts/xl3andn20s.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.8  
keyword substitution: kv  
total revisions: 8;    selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:46:20; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn40s.ly,v
working file: atlas/compass/layouts/xl3andn40s.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.10
keyword substitution: kv
total revisions: 10;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:22; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn80s.ly,v
working file: atlas/compass/layouts/xl3andn80s.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.9
keyword substitution: kv
total revisions: 9;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:24; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/xl3dandn10s.ly,v
working file: atlas/compass/layouts/xl3dandn10s.ly
head: 4.6
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.6
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:27; author: chip; state: Exp; lines: +8 -10
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/xl3muxn160s.ly,v
working file: atlas/compass/layouts/xl3muxn160s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.11
keyword substitution: kv
total revisions: 11;    selected revisions: 1
```



cf Mar 28-April 3 1995.log

description:

-----  
revision 4.2  
date: 1995/03/31 21:46:30; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl3muxn40s.ly,v  
working file: atlas/compass/layouts/xl3muxn40s.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:32; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl3muxn80s.ly,v  
working file: atlas/compass/layouts/xl3muxn80s.ly  
head: 4.13  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.13  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:34; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4andn10s.ly,v  
working file: atlas/compass/layouts/xl4andn10s.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:36; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4andn160s.ly,v  
working file: atlas/compass/layouts/xl4andn160s.ly  
head: 4.14  
branch:  
locks: strict

cf Mar 28-April 3 1995.log

access list:  
symbolic names:  
    b4\_rich: 4.14  
keyword substitution: kv  
total revisions: 14;     selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:38; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4andn20s.ly,v  
working file: atlas/compass/layouts/xl4andn20s.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7;     selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:40; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4andn40s.ly,v  
working file: atlas/compass/layouts/xl4andn40s.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.8  
keyword substitution: kv  
total revisions: 8;     selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:42; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4andn80s.ly,v  
working file: atlas/compass/layouts/xl4andn80s.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.8  
keyword substitution: kv  
total revisions: 8;     selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:44; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/xl4dandn10s.ly,v

working file: atlas/compass/layouts/xl4dandn10s.ly

head: 4.6

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

-----  
revision 4.2

date: 1995/03/31 21:46:45; author: chip; state: Exp; lines: +8 -10

periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4muxn160s.ly,v

working file: atlas/compass/layouts/xl4muxn160s.ly

head: 4.9

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.9

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

-----  
revision 4.2

date: 1995/03/31 21:46:47; author: chip; state: Exp; lines: +5 -7

periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4muxn40s.ly,v

working file: atlas/compass/layouts/xl4muxn40s.ly

head: 4.8

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.8

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

-----  
revision 4.2

date: 1995/03/31 21:46:49; author: chip; state: Exp; lines: +5 -7

periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4muxn80s.ly,v

working file: atlas/compass/layouts/xl4muxn80s.ly

head: 4.10

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.10

keyword substitution: kv

total revisions: 10; selected revisions: 1

description:  
-----

cf Mar 28-April 3 1995.log

revision 4.2

date: 1995/03/31 21:46:50; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/x15muxn160s.ly,v

working file: atlas/compass/layouts/x15muxn160s.ly

head: 4.12

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.12

keyword substitution: kv

total revisions: 12; selected revisions: 1

description:

---

revision 4.2

date: 1995/03/31 21:46:53; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/x15muxn40s.ly,v

working file: atlas/compass/layouts/x15muxn40s.ly

head: 4.8

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.8

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

---

revision 4.2

date: 1995/03/31 21:46:55; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/x15muxn80s.ly,v

working file: atlas/compass/layouts/x15muxn80s.ly

head: 4.12

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.12

keyword substitution: kv

total revisions: 12; selected revisions: 1

description:

---

revision 4.2

date: 1995/03/31 21:46:57; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/x16dandn10s.ly,v

working file: atlas/compass/layouts/x16dandn10s.ly

head: 4.6

branch:

locks: strict

access list:

symbolic names:

cf Mar 28-April 3 1995.log

b4\_rich: 4.6

keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 4.2

date: 1995/03/31 21:46:59; author: chip; state: Exp; lines: +7 -9  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl6muxn160s.ly,v

working file: atlas/compass/layouts/xl6muxn160s.ly

head: 4.10

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.10

keyword substitution: kv  
total revisions: 10; selected revisions: 1  
description:

-----  
revision 4.2

date: 1995/03/31 21:47:01; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl6muxn40s.ly,v

working file: atlas/compass/layouts/xl6muxn40s.ly

head: 4.9

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.9

keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

-----  
revision 4.2

date: 1995/03/31 21:47:04; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl6muxn80s.ly,v

working file: atlas/compass/layouts/xl6muxn80s.ly

head: 4.11

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 4.11

keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

-----  
revision 4.2

date: 1995/03/31 21:47:06; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl7muxn160s.ly,v

working file: atlas/compass/layouts/xl7muxn160s.ly

cf Mar 28-April 3 1995.log

head: 4.13  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.13  
keyword substitution: kv  
total revisions: 13;    selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:47:08; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/x17muxn40s.ly,v  
working file: atlas/compass/layouts/x17muxn40s.ly  
head: 4.9  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.9  
keyword substitution: kv  
total revisions: 9;    selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:47:10; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/x17muxn80s.ly,v  
working file: atlas/compass/layouts/x17muxn80s.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11;    selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:47:15; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/x18dandn10s.ly,v  
working file: atlas/compass/layouts/x18dandn10s.ly  
head: 4.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.6  
keyword substitution: kv  
total revisions: 6;    selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:47:17; author: chip; state: Exp; lines: +9 -11

cf Mar 28-April 3 1995.log  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xl8muxn160s.ly,v  
working file: atlas/compass/layouts/xl8muxn160s.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10  
keyword substitution: kv  
total revisions: 10;    selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:47:20; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xl8muxn40s.ly,v  
working file: atlas/compass/layouts/xl8muxn40s.ly  
head: 4.12  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.12  
keyword substitution: kv  
total revisions: 12;    selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:50:29; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:50:14 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xl8muxn80s.ly,v  
working file: atlas/compass/layouts/xl8muxn80s.ly  
head: 4.11  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.11  
keyword substitution: kv  
total revisions: 11;    selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:50:31; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:50:14 PST 1995

---

RCS file: /p/cvsroot/atlas/compass/layouts/xldlaq160s.ly,v  
working file: atlas/compass/layouts/xldlaq160s.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.8  
keyword substitution: kv

cf Mar 28-April 3 1995.log  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:34; author: chip; state: Exp; lines: +355 -244  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xldlaq20s.ly,v  
working file: atlas/compass/layouts/xldlaq20s.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.10  
keyword substitution: kv  
total revisions: 10; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:36; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xldlaq40s.ly,v  
working file: atlas/compass/layouts/xldlaq40s.ly  
head: 4.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.6  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:38; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xldlaq80s.ly,v  
working file: atlas/compass/layouts/xldlaq80s.ly  
head: 4.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:41; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xldlbq160s.ly,v  
working file: atlas/compass/layouts/xldlbq160s.ly  
head: 4.7  
branch:



cf Mar 28-April 3 1995.log

locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.7  
keyword substitution: kv  
total revisions: 7;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:44; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xsvia1.ly,v  
working file: atlas/compass/layouts/xsvia1.ly  
head: 4.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 22:37:25; author: chip; state: Exp; lines: +4 -2  
periodic checkin of Fri Mar 31 14:37:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xsvia2.ly,v  
working file: atlas/compass/layouts/xsvia2.ly  
head: 4.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 4.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 22:40:03; author: chip; state: Exp; lines: +4 -2  
periodic checkin of Fri Mar 31 14:39:58 PST 1995  
=====

RCS file: /p/cvsroot/atlas/ged/BOM,v  
working file: atlas/ged/BOM  
head: 22.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 22.0  
keyword substitution: kv  
total revisions: 654;    selected revisions: 7  
description:

-----  
revision 6.11  
date: 1995/03/31 19:17:03; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

cf Mar. 28-April 3 1995.log  
Edits for ged2spice compilation.

-----  
revision 6.10  
date: 1995/03/31 03:05:39; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 6.9  
date: 1995/03/31 01:05:12; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

-----  
revision 6.8  
date: 1995/03/30 20:05:40; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d\_am)

-----  
revision 6.7  
date: 1995/03/30 20:00:39; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

-----  
revision 6.6  
date: 1995/03/30 19:34:16; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi\_am & q\_bnm

-----  
revision 6.5  
date: 1995/03/29 18:32:45; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/BOM,v  
working file: atlas/ged/xv/BOM  
head: 33.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 33.0  
keyword substitution: kv  
total revisions: 102; selected revisions: 10  
description:  
releasebom adding BOM

-----  
revision 17.0  
date: 1995/03/31 19:16:50; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

-----  
revision 16.1  
date: 1995/03/31 19:16:42; author: ong; state: Exp; lines: +12 -12  
releasebom: File needs to be up-to-date to use commit -r

cf Mar 28-April 3 1995.log

revision 16.0

date: 1995/03/31 03:05:26; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

revision 15.5

date: 1995/03/31 03:05:18; author: ong; state: Exp; lines: +23 -5  
releasebom: File needs to be up-to-date to use commit -r

revision 15.4

date: 1995/03/31 01:05:02; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

revision 15.3

date: 1995/03/30 20:05:30; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d\_am)

revision 15.2

date: 1995/03/30 20:00:27; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

revision 15.1

date: 1995/03/30 19:34:08; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi\_am & q\_bnm

revision 15.0

date: 1995/03/29 18:32:36; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

revision 14.3

date: 1995/03/29 18:32:28; author: tom; state: Exp; lines: +7 -11  
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/BOM,v

working file: atlas/ged/xv/xv12andffq/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 7.0

keyword substitution: kv

total revisions: 12; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/31 02:52:40; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

cf Mar 28-April 3 1995.log

Added New Schematics for generating xs\* cells

-----  
revision 1.1  
date: 1995/03/31 02:52:32; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/body.1.1,v  
working file: atlas/ged/xv/xv12andffq/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:41:25; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/body.2.1,v  
working file: atlas/ged/xv/xv12andffq/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:41:29; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/spice.1.1,v  
working file: atlas/ged/xv/xv12andffq/spice.1.1  
head: 1.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.6  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:41:31; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv12andffq/spice\_cn.1.1  
head: 1.6  
branch:  
locks: strict

cf Mar 28-April 3 1995.log

access list:  
symbolic names:  
    b4\_rich: 1.6  
keyword substitution: kv  
total revisions: 6;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/31 02:41:34; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andlbn/BOM,v  
working file: atlas/ged/xv/xv12andlbn/BOM  
head: 6.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 6.0  
keyword substitution: kv  
total revisions: 10;    selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 02:53:00; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 02:52:52; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andlbn/body.1.1,v  
working file: atlas/ged/xv/xv12andlbn/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:41:48; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andlbn/body.2.1,v  
working file: atlas/ged/xv/xv12andlbn/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1

cf Mar 28-April 3 1995.log

description:

-----  
revision 1.1  
date: 1995/03/31 02:41:51; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12and1bn/spice.1.1,v  
working file: atlas/ged/xv/xv12and1bn/spice.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:41:53; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12and1bn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv12and1bn/spice\_cn.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:41:56; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12dandn/BOM,v  
working file: atlas/ged/xv/xv12dandn/BOM  
head: 5.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 5.0  
keyword substitution: kv  
total revisions: 8; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/03/31 19:06:20; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.  
-----

revision 2.1  
date: 1995/03/31 19:06:12; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv12dandn/spice.1.1,v
Working file: atlas/ged/xv/xv12dandn/spice.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/03/31 18:16:37; author: ong; state: Exp; lines: +860 -860
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv12dandn/spice_cn.1.1,v
Working file: atlas/ged/xv/xv12dandn/spice_cn.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/03/31 18:16:44; author: ong; state: Exp; lines: +238 -238
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/BOM,v
Working file: atlas/ged/xv/xv12orlan/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 7.0
keyword substitution: kv
total revisions: 12;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/31 02:53:40; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs\* cells

```
-----
revision 1.1
date: 1995/03/31 02:53:32; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/body.1.1,v
```

cf Mar 28-April 3 1995.log

working file: atlas/ged/xv/xv12orlan/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:42:06; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/body.2.1,v

working file: atlas/ged/xv/xv12orlan/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:42:09; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/spice.1.1,v

working file: atlas/ged/xv/xv12orlan/spice.1.1

head: 1.6

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:42:11; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/spice\_cn.1.1,v

working file: atlas/ged/xv/xv12orlan/spice\_cn.1.1

head: 1.6

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

-----  
revision 1.1



cf Mar 28-April 3 1995.log  
date: 1995/03/31 02:42:14; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/BOM,v  
working file: atlas/ged/xv/xv17andffq/BOM  
head: 9.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 9.0  
keyword substitution: kv  
total revisions: 16; selected revisions: 4  
description:  
releasebom adding BOM

---

revision 5.0  
date: 1995/03/30 20:00:15; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

---

revision 4.1  
date: 1995/03/30 20:00:07; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

revision 4.0  
date: 1995/03/29 18:26:50; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

---

revision 3.1  
date: 1995/03/29 18:26:43; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/spice.1.1,v  
working file: atlas/ged/xv/xv17andffq/spice.1.1  
head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8  
keyword substitution: kv  
total revisions: 8; selected revisions: 2  
description:

---

revision 1.4  
date: 1995/03/30 19:59:26; author: ong; state: Exp; lines: +838 -826  
Change latch following xv17dandn to xvd1bq

---

revision 1.3  
date: 1995/03/29 18:24:45; author: tom; state: Exp; lines: +830 -818  
added strength parameters to composite cells, changed brackets to braces in some bodies

---

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv17andffq/spice\_cn.1.1

cf Mar 28-April 3 1995.log

head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8  
keyword substitution: kv  
total revisions: 8;    selected revisions: 2  
description:

-----  
revision 1.4  
date: 1995/03/30 19:59:32; author: ong; state: Exp; lines: +276 -276  
Change latch following xv17dandn to xvd1bq

-----  
revision 1.3  
date: 1995/03/29 18:24:51; author: tom; state: Exp; lines: +277 -277  
added strength parameters to composite cells, changed brackets to braces in some  
bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17and1bn/BOM,v  
working file: atlas/ged/xv/xv17and1bn/BOM  
head: 9.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 9.0  
keyword substitution: kv  
total revisions: 16;    selected revisions: 4  
description:  
releasebom adding BOM

-----  
revision 5.0  
date: 1995/03/31 02:54:17; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 4.1  
date: 1995/03/31 02:54:07; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 4.0  
date: 1995/03/29 18:27:16; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some  
bodies

-----  
revision 3.1  
date: 1995/03/29 18:27:08; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17and1bn/spice.1.1,v  
working file: atlas/ged/xv/xv17and1bn/spice.1.1  
head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8

cf Mar 28-April 3 1995.log

keyword substitution: kv  
total revisions: 8; selected revisions: 2  
description:

-----  
revision 1.4

date: 1995/03/31 02:43:21; author: ong; state: Exp; lines: +791 -783  
Added superfluous notes.

-----  
revision 1.3

date: 1995/03/29 18:25:01; author: tom; state: Exp; lines: +788 -780  
added strength parameters to composite cells, changed brackets to braces in some  
bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andlbn/spice\_cn.1.1,v

Working file: atlas/ged/xv/xv17andlbn/spice\_cn.1.1

head: 1.8

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.8

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

-----  
revision 1.4

date: 1995/03/31 02:43:26; author: ong; state: Exp; lines: +223 -223  
Added superfluous notes.

-----  
revision 1.3

date: 1995/03/29 18:25:07; author: tom; state: Exp; lines: +226 -226  
added strength parameters to composite cells, changed brackets to braces in some  
bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17dandn/BOM,v

Working file: atlas/ged/xv/xv17dandn/BOM

head: 5.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 5.0

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 3.0

date: 1995/03/30 19:33:57; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi\_am & q\_bnm

-----  
revision 2.1

date: 1995/03/30 19:33:49; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17dandn/spice.1.1,v

Working file: atlas/ged/xv/xv17dandn/spice.1.1

head: 1.3

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/30 17:41:00; author: ong; state: Exp; lines: +1130 -1130  
Change capacitor labels to match pin names of phi\_am & q\_bnm  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17dandn/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xv17dandn/spice\_cn.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/30 17:41:08; author: ong; state: Exp; lines: +316 -316  
Change capacitor labels to match pin names of phi\_am & q\_bnm  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17orlan/BOM,v  
Working file: atlas/ged/xv/xv17orlan/BOM  
head: 11.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 11.0  
keyword substitution: kv  
total revisions: 20;    selected revisions: 6  
description:  
releasebom adding BOM  
-----

revision 6.0  
date: 1995/03/31 02:55:00; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 5.1  
date: 1995/03/31 02:54:51; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 5.0  
date: 1995/03/31 01:04:51; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change  
-----

revision 4.1  
date: 1995/03/31 01:04:43; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

cf Mar 28-April 3 1995.log

-----  
revision 4.0

date: 1995/03/29 18:27:51; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

-----  
revision 3.1

date: 1995/03/29 18:27:44; author: tom; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17orlan/spice.1.1,v

working file: atlas/ged/xv/xv17orlan/spice.1.1

head: 1.10

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.10

keyword substitution: kv

total revisions: 10; selected revisions: 3

description:  
-----

revision 1.5

date: 1995/03/31 02:44:23; author: ong; state: Exp; lines: +826 -818

Changed parms for xvdlaq + added superfluous notes  
-----

revision 1.4

date: 1995/03/31 01:04:15; author: tom; state: Exp; lines: +820 -820

reinstantiated xvdlaq to catch pin name change  
-----

revision 1.3

date: 1995/03/29 18:25:12; author: tom; state: Exp; lines: +820 -812

added strength parameters to composite cells, changed brackets to braces in some bodies  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17orlan/spice\_cn.1.1,v

working file: atlas/ged/xv/xv17orlan/spice\_cn.1.1

head: 1.10

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.10

keyword substitution: kv

total revisions: 10; selected revisions: 3

description:  
-----

revision 1.5

date: 1995/03/31 02:44:28; author: ong; state: Exp; lines: +222 -222

Changed parms for xvdlaq + added superfluous notes  
-----

revision 1.4

date: 1995/03/31 01:04:20; author: tom; state: Exp; lines: +224 -224

reinstantiated xvdlaq to catch pin name change  
-----

revision 1.3

date: 1995/03/29 18:25:18; author: tom; state: Exp; lines: +263 -263

added strength parameters to composite cells, changed brackets to braces in some bodies

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/BOM,v
working file: atlas/ged/xv/xv2andffq/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 5.0
keyword substitution: kv
total revisions: 8;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/31 02:55:22; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs\* cells

```
-----
revision 1.1
date: 1995/03/31 02:55:14; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/body.1.1,v
working file: atlas/ged/xv/xv2andffq/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:44:42; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/body.2.1,v
working file: atlas/ged/xv/xv2andffq/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:44:44; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/spice.1.1,v
working file: atlas/ged/xv/xv2andffq/spice.1.1
head: 1.4
```

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.4  
keyword substitution: kv  
total revisions: 4;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:44:46; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv2andffq/spice\_cn.1.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.4  
keyword substitution: kv  
total revisions: 4;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:44:49; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/BOM,v  
working file: atlas/ged/xv/xv2andlbn/BOM  
head: 6.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 6.0  
keyword substitution: kv  
total revisions: 10;      selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 2.0  
date: 1995/03/31 02:55:45; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 02:55:36; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/body.1.1,v  
working file: atlas/ged/xv/xv2andlbn/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2

cf Mar 28-April 3 1995.log

keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:44:57; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/body.2.1,v  
working file: atlas/ged/xv/xv2andlbn/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:44:59; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/spice.1.1,v  
working file: atlas/ged/xv/xv2andlbn/spice.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:01; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv2andlbn/spice\_cn.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:

b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:04; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2dandn/BOM,v  
working file: atlas/ged/xv/xv2dandn/BOM  
head: 5.0



cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 5.0  
keyword substitution: kv  
total revisions: 8;      selected revisions: 2  
description:  
releasebom adding BOM  
-----  
revision 3.0  
date: 1995/03/31 19:08:01; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.  
-----

revision 2.1  
date: 1995/03/31 19:07:53; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2dandn/spice.1.1,v  
working file: atlas/ged/xv/xv2dandn/spice.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/31 18:16:50; author: ong; state: Exp; lines: +284 -284  
Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2dandn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv2dandn/spice\_cn.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/31 18:16:53; author: ong; state: Exp; lines: +76 -76  
Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/BOM,v  
working file: atlas/ged/xv/xv2orlan/BOM  
head: 6.0  
branch:  
locks: strict  
access list:

cf Mar 28-April 3 1995.log

symbolic names:

b4\_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 2.0

date: 1995/03/31 02:56:40; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1

date: 1995/03/31 02:56:31; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/body.1.1,v

Working file: atlas/ged/xv/xv2orlan/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:45:13; author: ong; state: Exp;

New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/body.2.1,v

Working file: atlas/ged/xv/xv2orlan/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:45:15; author: ong; state: Exp;

New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/spice.1.1,v

Working file: atlas/ged/xv/xv2orlan/spice.1.1

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.5

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

cf Mar 28-April 3 1995.log

-----  
revision 1.1  
date: 1995/03/31 02:45:18; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xv2orlan/spice\_cn.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:45:20; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/BOM,v  
Working file: atlas/ged/xv/xv3andffq/BOM  
head: 5.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 5.0  
keyword substitution: kv  
total revisions: 8; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 02:57:17; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1  
date: 1995/03/31 02:57:08; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/body.1.1,v  
Working file: atlas/ged/xv/xv3andffq/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:45:30; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/body.2.1,v  
Working file: atlas/ged/xv/xv3andffq/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:32; author: ong; state: Exp;  
New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/spice.1.1,v  
Working file: atlas/ged/xv/xv3andffq/spice.1.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.4  
keyword substitution: kv  
total revisions: 4;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:35; author: ong; state: Exp;  
New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xv3andffq/spice\_cn.1.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.4  
keyword substitution: kv  
total revisions: 4;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:37; author: ong; state: Exp;  
New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andlbn/BOM,v  
Working file: atlas/ged/xv/xv3andlbn/BOM  
head: 6.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 6.0  
keyword substitution: kv  
total revisions: 10;    selected revisions: 2  
description:

releasebom adding BOM

-----  
revision 2.0  
date: 1995/03/31 02:57:39; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1  
date: 1995/03/31 02:57:30; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3and1bn/body.1.1,v  
working file: atlas/ged/xv/xv3and1bn/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:45:48; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3and1bn/body.2.1,v  
working file: atlas/ged/xv/xv3and1bn/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:45:51; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3and1bn/spice.1.1,v  
working file: atlas/ged/xv/xv3and1bn/spice.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:45:53; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv3and1bn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv3and1bn/spice\_cn.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:56; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3dandn/BOM,v  
working file: atlas/ged/xv/xv3dandn/BOM  
head: 6.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 6.0  
keyword substitution: kv  
total revisions: 10;    selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 4.0  
date: 1995/03/31 19:09:19; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.  
-----

revision 3.1  
date: 1995/03/31 19:09:11; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 3.0  
date: 1995/03/31 02:58:11; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 2.1  
date: 1995/03/31 02:58:04; author: ong; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3dandn/body.1.1,v  
working file: atlas/ged/xv/xv3dandn/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

cf Mar 28-April 3 1995.log

-----  
revision 1.2  
date: 1995/03/31 02:46:08; author: ong; state: Exp; lines: +22 -22  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3dandn/spice.1.1,v  
working file: atlas/ged/xv/xv3dandn/spice.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/31 18:16:59; author: ong; state: Exp; lines: +341 -341  
Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3dandn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv3dandn/spice\_cn.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/31 18:17:02; author: ong; state: Exp; lines: +86 -86  
Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/BOM,v  
working file: atlas/ged/xv/xv3orlan/BOM  
head: 6.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 6.0  
keyword substitution: kv  
total revisions: 10; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 02:58:43; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 02:58:36; author: ong; state: Exp;

cf Mar 28-April 3 1995.log  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/body.1.1,v  
Working file: atlas/ged/xv/xv3orlan/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:46:24; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/body.2.1,v  
Working file: atlas/ged/xv/xv3orlan/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:46:27; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/spice.1.1,v  
Working file: atlas/ged/xv/xv3orlan/spice.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5;    selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:46:29; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xv3orlan/spice\_cn.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv



cf Mar 28-April 3 1995.log  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:46:33; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/BOM,v  
working file: atlas/ged/xv/xv4andffq/BOM  
head: 6.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 6.0  
keyword substitution: kv  
total revisions: 10; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 02:59:10; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 02:59:02; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/body.1.1,v  
working file: atlas/ged/xv/xv4andffq/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:00; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/body.2.1,v  
working file: atlas/ged/xv/xv4andffq/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:03; author: ong; state: Exp;

cf Mar 28-April 3 1995.log

New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/spice.1.1,v  
Working file: atlas/ged/xv/xv4andffq/spice.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5;    selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:47:06; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xv4andffq/spice\_cn.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5;    selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:47:09; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/BOM,v  
Working file: atlas/ged/xv/xv4andlbn/BOM  
head: 8.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 8.0  
keyword substitution: kv  
total revisions: 14;    selected revisions: 2  
description:  
    releasebom adding BOM

---

revision 2.0  
date: 1995/03/31 02:59:28; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

---

revision 1.1  
date: 1995/03/31 02:59:21; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/body.1.1,v  
Working file: atlas/ged/xv/xv4andlbn/body.1.1

cf Mar 28-April 3 1995.log

head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:47:17; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/body.2.1,v  
working file: atlas/ged/xv/xv4andlbn/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:47:19; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/spice.1.1,v  
working file: atlas/ged/xv/xv4andlbn/spice.1.1  
head: 1.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.7  
keyword substitution: kv  
total revisions: 7;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:47:23; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv4andlbn/spice\_cn.1.1  
head: 1.7  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.7  
keyword substitution: kv  
total revisions: 7;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:47:26; author: ong; state: Exp;

cf Mar 28-April 3 1995.log

New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas/ged/xv/xv4dandn/BOM,v

working file: atlas/ged/xv/xv4dandn/BOM

head: 6.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

---

revision 3.0

date: 1995/03/31 19:10:38; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

---

Edits for ged2spice compilation.

---

revision 2.1

date: 1995/03/31 19:10:29; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas/ged/xv/xv4dandn/spice.1.1,v

working file: atlas/ged/xv/xv4dandn/spice.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

---

revision 1.2

date: 1995/03/31 18:17:09; author: ong; state: Exp; lines: +25 -25

Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am

---

RCS file: /p/cvsroot/atlas/ged/xv/xv4dandn/spice\_cn.1.1,v

working file: atlas/ged/xv/xv4dandn/spice\_cn.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

---

revision 1.2

date: 1995/03/31 18:17:12; author: ong; state: Exp; lines: +28 -28

Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am

---

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/BOM,v

Working file: atlas/ged/xv/xv4orlan/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 7.0

keyword substitution: kv

total revisions: 12; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 2.0

date: 1995/03/31 03:00:19; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1

date: 1995/03/31 03:00:12; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/body.1.1,v

Working file: atlas/ged/xv/xv4orlan/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:47:34; author: ong; state: Exp;

New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/body.2.1,v

Working file: atlas/ged/xv/xv4orlan/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:47:37; author: ong; state: Exp;

New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/spice.1.1,v

Working file: atlas/ged/xv/xv4orlan/spice.1.1

head: 1.6

branch:

locks: strict

cf Mar 28-April 3 1995.log

access list:  
symbolic names:  
    b4\_rich: 1.6  
keyword substitution: kv  
total revisions: 6;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/31 02:47:39; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv4orlan/spice\_cn.1.1  
head: 1.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.6  
keyword substitution: kv  
total revisions: 6;    selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/31 02:47:42; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/BOM,v  
working file: atlas/ged/xv/xv6andffq/BOM  
head: 5.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 5.0  
keyword substitution: kv  
total revisions: 8;    selected revisions: 2  
description:  
releasebom adding BOM  
-----  
revision 2.0  
date: 1995/03/31 03:00:51; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 03:00:44; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/body.1.1,v  
working file: atlas/ged/xv/xv6andffq/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1

cf Mar 28-April 3 1995.log

description:

-----  
revision 1.1  
date: 1995/03/31 02:47:49; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/body.2.1,v  
Working file: atlas/ged/xv/xv6andffq/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:53; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/spice.1.1,v  
Working file: atlas/ged/xv/xv6andffq/spice.1.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.4  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:56; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xv6andffq/spice\_cn.1.1  
head: 1.4  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.4  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:59; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andlbn/BOM,v  
Working file: atlas/ged/xv/xv6andlbn/BOM  
head: 6.0  
branch:  
locks: strict

cf Mar 28-April 3 1995.log

access list:

symbolic names:

b4\_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 2.0

date: 1995/03/31 03:01:12; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1

date: 1995/03/31 03:01:04; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6and1bn/body.1.1,v

working file: atlas/ged/xv/xv6and1bn/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:11; author: ong; state: Exp;

New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6and1bn/body.2.1,v

working file: atlas/ged/xv/xv6and1bn/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:13; author: ong; state: Exp;

New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6and1bn/spice.1.1,v

working file: atlas/ged/xv/xv6and1bn/spice.1.1

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.5

keyword substitution: kv

total revisions: 5; selected revisions: 1



cf Mar 28-April 3 1995.log

description:

-----  
revision 1.1

date: 1995/03/31 02:48:15; author: ong; state: Exp;  
New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6and1bn/spice\_cn.1.1,v

working file: atlas/ged/xv/xv6and1bn/spice\_cn.1.1

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.5

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:18; author: ong; state: Exp;  
New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6dandn/BOM,v

working file: atlas/ged/xv/xv6dandn/BOM

head: 5.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 5.0

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 3.0

date: 1995/03/31 19:11:51; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Edits for ged2spice compilation.

-----  
revision 2.1

date: 1995/03/31 19:11:43; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6dandn/spice.1.1,v

working file: atlas/ged/xv/xv6dandn/spice.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/31 18:17:18; author: ong; state: Exp; lines: +514 -514

Changed node names on capacitor from q\_anm and phi\_bm to

cf Mar 28-April 3 1995.log

q\_bnm and phi\_am

---

RCS file: /p/cvsroot/atlas/ged/xv/xv6dandn/spice\_cn.1.1,v

working file: atlas/ged/xv/xv6dandn/spice\_cn.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

---

revision 1.2

date: 1995/03/31 18:17:22; author: ong; state: Exp; lines: +142 -142

Changed node names on capacitor from q\_anm and phi\_bm to

q\_bnm and phi\_am

---

RCS file: /p/cvsroot/atlas/ged/xv/xv6muxn/BOM,v

working file: atlas/ged/xv/xv6muxn/BOM

head: 5.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 5.0

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

releasebom adding BOM

---

revision 3.0

date: 1995/03/31 19:12:23; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Edits for ged2spice compilation.

---

revision 2.1

date: 1995/03/31 19:12:16; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas/ged/xv/xv6muxn/spice.1.1,v

working file: atlas/ged/xv/xv6muxn/spice.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

---

revision 1.2

date: 1995/03/31 19:01:31; author: ong; state: Exp; lines: +722 -726

Reattached '[NMOS N2]' parms to transistor

---

RCS file: /p/cvsroot/atlas/ged/xv/xv6muxn/spice\_cn.1.1,v

cf Mar 28-April 3 1995.log

working file: atlas/ged/xv/xv6muxn/spice\_cn.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/31 19:01:35; author: ong; state: Exp; lines: +151 -150

Reattached '[NMOS N2]' parms to transistor

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/BOM,v

working file: atlas/ged/xv/xv6orlan/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 7.0

keyword substitution: kv

total revisions: 12; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 2.0

date: 1995/03/31 03:01:52; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1

date: 1995/03/31 03:01:45; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/body.1.1,v

working file: atlas/ged/xv/xv6orlan/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:31; author: ong; state: Exp;

New schematic for xs\* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/body.2.1,v

working file: atlas/ged/xv/xv6orlan/body.2.1

head: 1.2

branch:

locks: strict

access list:

cf Mar 28-April 3 1995.log

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:33; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/spice.1.1,v

working file: atlas/ged/xv/xv6orlan/spice.1.1

head: 1.6

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:36; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/spice\_cn.1.1,v

working file: atlas/ged/xv/xv6orlan/spice\_cn.1.1

head: 1.6

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:39; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv7muxn/BOM,v

working file: atlas/ged/xv/xv7muxn/BOM

head: 5.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 5.0

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

releasebom adding BOM  
-----

revision 3.0

date: 1995/03/31 19:12:56; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Edits for ged2spice compilation.

cf Mar 28-April 3 1995.log

-----  
revision 2.1  
date: 1995/03/31 19:12:49; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv7muxn/spice.1.1,v  
working file: atlas/ged/xv/xv7muxn/spice.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/31 19:01:47; author: ong; state: Exp; lines: +813 -813  
Reattached '[NMOS N2]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv7muxn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv7muxn/spice\_cn.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/31 19:01:55; author: ong; state: Exp; lines: +189 -187  
Reattached '[NMOS N2]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/BOM,v  
working file: atlas/ged/xv/xv8andffq/BOM  
head: 7.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 7.0  
keyword substitution: kv  
total revisions: 12; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 03:02:20; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 03:02:12; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/body.1.1,v  
working file: atlas/ged/xv/xv8andffq/body.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:48:47; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/body.2.1,v  
working file: atlas/ged/xv/xv8andffq/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:48:49; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/spice.1.1,v  
working file: atlas/ged/xv/xv8andffq/spice.1.1  
head: 1.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.6  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:48:52; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv8andffq/spice\_cn.1.1  
head: 1.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.6  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:

cf Mar 28-April 3 1995.log

-----  
revision 1.1  
date: 1995/03/31 02:48:54; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8and1bn/BOM,v  
working file: atlas/ged/xv/xv8and1bn/BOM  
head: 10.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 10.0  
keyword substitution: kv  
total revisions: 18; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 03:02:38; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 03:02:31; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8and1bn/body.1.1,v  
working file: atlas/ged/xv/xv8and1bn/body.1.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:49:04; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8and1bn/body.2.1,v  
working file: atlas/ged/xv/xv8and1bn/body.2.1  
head: 1.3  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:49:07; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv8andlbn/spice.1.1,v  
working file: atlas/ged/xv/xv8andlbn/spice.1.1  
head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8  
keyword substitution: kv  
total revisions: 8;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:49:09; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andlbn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv8andlbn/spice\_cn.1.1  
head: 1.8  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.8  
keyword substitution: kv  
total revisions: 8;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:49:11; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8dandn/BOM,v  
working file: atlas/ged/xv/xv8dandn/BOM  
head: 7.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 7.0  
keyword substitution: kv  
total revisions: 12;    selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 3.0  
date: 1995/03/31 19:13:38; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.  
-----

revision 2.1  
date: 1995/03/31 19:13:29; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8dandn/spice.1.1,v  
working file: atlas/ged/xv/xv8dandn/spice.1.1  
head: 1.3  
branch:



cf Mar 28-April 3 1995.log

locks: strict  
access list:  
symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/31 18:17:30; author: ong; state: Exp; lines: +627 -627

Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8dandn/spice\_cn.1.1,v

working file: atlas/ged/xv/xv8dandn/spice\_cn.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/31 18:17:35; author: ong; state: Exp; lines: +173 -173

Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/BOM,v

working file: atlas/ged/xv/xv8muxffn/BOM

head: 5.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 5.0

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

releasebom adding BOM  
-----

revision 3.0

date: 1995/03/29 18:30:41; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some  
bodies  
-----

revision 2.1

date: 1995/03/29 18:30:34; author: tom; state: Exp; lines: +5 -5

releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/body.1.1,v

working file: atlas/ged/xv/xv8muxffn/body.1.1

head: 1.4

branch:

locks: strict

access list:

cf Mar 28-April 3 1995.log

symbolic names:

b4\_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/29 18:25:22; author: tom; state: Exp; lines: +1 -1

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/body.2.1,v

working file: atlas/ged/xv/xv8muxffn/body.2.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/29 18:25:24; author: tom; state: Exp; lines: +1 -1

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/spice.1.1,v

working file: atlas/ged/xv/xv8muxffn/spice.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/29 18:25:26; author: tom; state: Exp; lines: +670 -666

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/spice\_cn.1.1,v

working file: atlas/ged/xv/xv8muxffn/spice\_cn.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/29 18:25:29; author: tom; state: Exp; lines: +177 -177

added strength parameters to composite cells, changed brackets to braces in some

bodies

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/BOM,v
working file: atlas/ged/xv/xv8muxlaq/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.0
keyword substitution: kv
total revisions: 6;    selected revisions: 4
description:
releasebom adding BOM
=====
```

```
revision 4.0
date: 1995/03/31 19:14:22; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Edits for ged2spice compilation.

```
=====
revision 3.1
date: 1995/03/31 19:14:14; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
revision 3.0
date: 1995/03/29 18:31:10; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

added strength parameters to composite cells, changed brackets to braces in some bodies

```
=====
revision 2.1
date: 1995/03/29 18:31:02; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/body.1.1,v
working file: atlas/ged/xv/xv8muxlaq/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
=====
```

```
revision 1.2
date: 1995/03/29 18:25:33; author: tom; state: Exp; lines: +1 -1
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/body.2.1,v
working file: atlas/ged/xv/xv8muxlaq/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
```

cf Mar 28-April 3 1995.log

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/29 18:25:35; author: tom; state: Exp; lines: +1 -1

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/spice.1.1,v

working file: atlas/ged/xv/xv8muxlaq/spice.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/31 19:02:19; author: ong; state: Exp; lines: +964 -964

Reattached '[NMOS N5]' parms to transistor

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/spice\_cn.1.1,v

working file: atlas/ged/xv/xv8muxlaq/spice\_cn.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/31 19:02:26; author: ong; state: Exp; lines: +232 -230

Reattached '[NMOS N5]' parms to transistor

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlbq/BOM,v

working file: atlas/ged/xv/xv8muxlbq/BOM

head: 3.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 3.0

keyword substitution: kv

total revisions: 4; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 3.0

date: 1995/03/31 19:14:45; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Edits for ged2spice compilation.

cf Mar 28-April 3 1995.log

-----  
revision 2.1  
date: 1995/03/31 19:14:37; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8mux1bq/spice.1.1,v  
Working file: atlas/ged/xv/xv8mux1bq/spice.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 19:02:39; author: ong; state: Exp; lines: +154 -154  
Reattached '[NMOS N5]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8mux1bq/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xv8mux1bq/spice\_cn.1.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 19:02:42; author: ong; state: Exp; lines: +123 -121  
Reattached '[NMOS N5]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxn/BOM,v  
Working file: atlas/ged/xv/xv8muxn/BOM  
head: 5.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 5.0  
keyword substitution: kv  
total revisions: 8; selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 3.0  
date: 1995/03/31 19:15:10; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

-----  
revision 2.1  
date: 1995/03/31 19:15:02; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxn/spice.1.1,v  
working file: atlas/ged/xv/xv8muxn/spice.1.1  
head: 1.3

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 19:02:54; author: ong; state: Exp; lines: +898 -898  
Reattached '[NMOS N2]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxn/spice\_cn.1.1,v  
working file: atlas/ged/xv/xv8muxn/spice\_cn.1.1  
head: 1.3

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.3  
keyword substitution: kv  
total revisions: 3;    selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 19:03:01; author: ong; state: Exp; lines: +245 -243  
Reattached '[NMOS N2]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/BOM,v  
working file: atlas/ged/xv/xv8orlan/BOM  
head: 7.0

branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 7.0  
keyword substitution: kv  
total revisions: 12;    selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 03:03:46; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 03:03:38; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/body.1.1,v  
working file: atlas/ged/xv/xv8orlan/body.1.1  
head: 1.2  
branch:

cf Mar 28-April 3 1995.log

locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:49:19; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/body.2.1,v  
Working file: atlas/ged/xv/xv8orlan/body.2.1  
head: 1.2  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.2  
keyword substitution: kv  
total revisions: 2;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:49:22; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/spice.1.1,v  
Working file: atlas/ged/xv/xv8orlan/spice.1.1  
head: 1.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.6  
keyword substitution: kv  
total revisions: 6;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:49:25; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/spice\_cn.1.1,v  
Working file: atlas/ged/xv/xv8orlan/spice\_cn.1.1  
head: 1.6  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.6  
keyword substitution: kv  
total revisions: 6;    selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:49:27; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/BOM,v  
working file: atlas/ged/xv/xvdlq/BOM  
head: 6.0

branch:  
locks: strict

access list:

symbolic names:

b4\_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 3.0

date: 1995/03/30 20:05:18; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv/xvdlq

Changed pin name on body to match schematic (d\_am)

-----  
revision 2.1

date: 1995/03/30 20:05:09; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/body.1.1,v

working file: atlas/ged/xv/xvdlq/body.1.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/30 20:01:59; author: ong; state: Exp; lines: +16 -16

Change pin name on body from d0\_am to d\_am

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlq/body.2.1,v

working file: atlas/ged/xv/xvdlq/body.2.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/30 20:02:01; author: ong; state: Exp; lines: +17 -17

Change pin name on body from d0\_am to d\_am

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/BOM,v

working file: atlas/ged/xv/xvffq/BOM

head: 6.0

branch:



cf Mar 28-April 3 1995.log

locks: strict  
access list:  
symbolic names:  
    b4\_rich: 6.0  
keyword substitution: kv  
total revisions: 10;     selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 3.0  
date: 1995/03/31 03:04:33; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 2.1  
date: 1995/03/31 03:04:25; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/spice.1.1,v  
working file: atlas/ged/xv/xvffq/spice.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5;     selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 02:50:02; author: ong; state: Exp; lines: +194 -178  
Change parameters to make xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/spice\_cn.1.1,v  
working file: atlas/ged/xv/xvffq/spice\_cn.1.1  
head: 1.5  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.5  
keyword substitution: kv  
total revisions: 5;     selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 02:50:05; author: ong; state: Exp; lines: +47 -47  
Change parameters to make xs\* cells.  
=====

RCS file: /p/cvsroot/atlas/leafgen/BOM,v  
working file: atlas/leafgen/BOM  
head: 45.0  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 45.0  
keyword substitution: kv

cf Mar 28-April 3 1995.log  
total revisions: 129; selected revisions: 8  
description:  
releasebom adding BOM

-----  
revision 12.0  
date: 1995/03/31 19:15:17; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/leafgen

add edif netlist generation

-----  
revision 11.1  
date: 1995/03/31 19:15:08; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 11.0  
date: 1995/03/30 19:14:42; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/leafgen

fix call to inferLobes: pass CHIPROOT to it, and check error status

-----  
revision 10.1  
date: 1995/03/30 19:14:35; author: tom; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 10.0  
date: 1995/03/30 04:49:07; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/leafgen

improve dependencies; build netlist for one-lobe xs cells

-----  
revision 9.1  
date: 1995/03/30 04:48:59; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 9.0  
date: 1995/03/29 18:34:06; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/leafgen

first shot at building xs cells -- only works for hierarchical cells, so far

-----  
revision 8.1  
date: 1995/03/29 18:33:59; author: tom; state: Exp; lines: +4 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/leafgen/Makefile,v  
working file: atlas/leafgen/Makefile  
head: 1.33  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 1.33  
keyword substitution: kv  
total revisions: 33; selected revisions: 4  
description:

-----  
revision 1.14  
date: 1995/03/31 19:14:09; author: tom; state: Exp; lines: +31 -3  
add edif netlist generation

-----  
revision 1.13  
date: 1995/03/30 19:13:19; author: tom; state: Exp; lines: +4 -2

```

cf Mar 28-April 3 1995.log
fix call to inferLobes: pass CHIPROOT to it, and check error status
-----
revision 1.12
date: 1995/03/30 04:48:03; author: tom; state: Exp; lines: +24 -9
improve dependencies; build netlist for one-lobe xs cells
-----
revision 1.11
date: 1995/03/29 18:33:15; author: tom; state: Exp; lines: +63 -30
first shot at building xs cells -- only works for hierarchical cells, so far
=====

RCS file: /p/cvsroot/atlas/leafgen/inferLobes,v
Working file: atlas/leafgen/inferLobes
head: 8.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 8.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 8.1
date: 1995/03/29 18:33:17; author: tom; state: Exp;
first shot at building xs cells -- only works for hierarchical cells, so far
=====

RCS file: /p/cvsroot/atlas/leafgen/makeDepend,v
Working file: atlas/leafgen/makeDepend
head: 3.15
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 3.15
keyword substitution: kv
total revisions: 15;    selected revisions: 3
description:
-----
revision 3.10
date: 1995/03/31 19:14:11; author: tom; state: Exp; lines: +14 -19
add edif netlist generation
-----
revision 3.9
date: 1995/03/30 04:48:05; author: tom; state: Exp; lines: +37 -29
improve dependencies; build netlist for one-lobe xs cells
-----
revision 3.8
date: 1995/03/29 18:33:20; author: tom; state: Exp; lines: +71 -20
first shot at building xs cells -- only works for hierarchical cells, so far
=====

RCS file: /p/cvsroot/atlas2/BOM,v
Working file: atlas2/BOM
head: 201.2755
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 201.2700
keyword substitution: kv
total revisions: 4418;    selected revisions: 15

```

description:

-----  
revision 2.115  
date: 1995/03/31 22:40:27; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas  
Makefile.defs

export CHIPROOT

-----  
revision 2.114  
date: 1995/03/31 22:07:19; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
x112dandn20s.ly  
x112dorn20s.ly  
x117dandn20s.ly  
x117dorn20s.ly  
x12andn10s.ly  
x12andn160s.ly  
x12andn20s.ly  
x12andn40s.ly  
x12andn80s.ly  
x12dandn10s.ly  
x12dorn10s.ly  
x12muxn10s.ly  
x12muxn160s.ly  
x12muxn20s.ly  
x12muxn40s.ly  
x12muxn80s.ly  
x12orn10s.ly  
x12orn160s.ly  
x12orn20s.ly  
x12orn40s.ly  
x12orn80s.ly  
x13andn10s.ly  
x13andn160s.ly  
x13andn20s.ly  
x13andn40s.ly  
x13andn80s.ly  
x13dandn10s.ly  
x13dorn10s.ly  
x13muxn10s.ly  
x13muxn160s.ly  
x13muxn20s.ly  
x13muxn40s.ly  
x13muxn80s.ly  
x13orn10s.ly  
x13orn160s.ly  
x13orn20s.ly  
x13orn40s.ly  
x13orn80s.ly  
x14andn10s.ly  
x14andn160s.ly  
x14andn20s.ly  
x14andn40s.ly  
x14andn80s.ly  
x14dandn10s.ly  
x14dorn10s.ly  
x14muxn10s.ly  
x14muxn160s.ly  
x14muxn20s.ly  
x14muxn40s.ly  
x14muxn80s.ly  
x14orn10s.ly

cf Mar 28-April 3 1995.log

x14orn160s.ly  
x14orn20s.ly  
x14orn40s.ly  
x14orn80s.ly  
x15muxn10s.ly  
x15muxn160s.ly  
x15muxn20s.ly  
x15muxn40s.ly  
x15muxn80s.ly  
x16dandn10s.ly  
x16dorn10s.ly  
x16muxn10s.ly  
x16muxn160s.ly  
x16muxn20s.ly  
x16muxn40s.ly  
x16muxn80s.ly  
x17muxn10s.ly  
x17muxn160s.ly  
x17muxn20s.ly  
x17muxn40s.ly  
x17muxn80s.ly  
x18dandn10s.ly  
x18dorn10s.ly  
x18muxn10s.ly  
x18muxn160s.ly  
x18muxn20s.ly  
x18muxn40s.ly  
x18muxn80s.ly  
x1bufn10s.ly  
x1bufn160s.ly  
x1bufn20s.ly  
x1bufn40s.ly  
x1bufn80s.ly  
x1d1aq10s.ly  
x1d1aq160s.ly  
x1d1aq20s.ly  
x1d1aq40s.ly  
x1d1aq80s.ly  
x1d1bq10s.ly  
x1d1bq160s.ly  
x1d1bq20s.ly  
x1d1bq40s.ly  
x1d1bq80s.ly  
x11an10s.ly  
x11an160s.ly  
x11an20s.ly  
x11an40s.ly  
x11an80s.ly  
x11bn10s.ly  
x11bn160s.ly  
x11bn20s.ly  
x11bn40s.ly  
x11bn80s.ly

Added uh\_ cells to half of these cells.

-----  
revision 2.113

date: 1995/03/31 19:17:13; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

-----  
revision 2.112

cf Mar 28-April 3 1995.log  
date: 1995/03/31 19:15:33; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/leafgen

add edif netlist generation

-----  
revision 2.111  
date: 1995/03/31 03:05:51; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 2.110  
date: 1995/03/31 01:05:24; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

-----  
revision 2.109  
date: 1995/03/30 20:05:50; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d\_am)

-----  
revision 2.108  
date: 1995/03/30 20:00:49; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

-----  
revision 2.107  
date: 1995/03/30 19:34:25; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi\_am & q\_bnm

-----  
revision 2.106  
date: 1995/03/30 19:14:51; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/leafgen

fix call to inferLobes: pass CHIPROOT to it, and check error status

-----  
revision 2.105  
date: 1995/03/30 19:08:51; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas  
Makefile.defs

fault the ged stuff back in -- it's clearly all needed

-----  
revision 2.104  
date: 1995/03/30 04:49:18; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/leafgen

improve dependencies; build netlist for one-lobe xs cells

-----  
revision 2.103  
date: 1995/03/29 22:17:59; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/compass/layouts  
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

-----  
revision 2.102  
date: 1995/03/29 18:34:17; author: tom; state: Exp; lines: +2 -2

cf Mar 28-April 3 1995.log

Release Target: atlas/leafgen

first shot at building xs cells -- only works for hierarchical cells, so far

-----  
revision 2.101

date: 1995/03/29 18:32:55; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/Makefile.defs,v

working file: atlas2/Makefile.defs

head: 200.39

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 200.39

keyword substitution: kv

total revisions: 99; selected revisions: 2

description:

-----  
revision 1.12

date: 1995/03/31 22:40:11; author: tom; state: Exp; lines: +3 -1

export CHIPROOT

-----  
revision 1.11

date: 1995/03/30 19:08:33; author: tom; state: Exp; lines: +32 -1

fault the ged stuff back in -- it's clearly all needed

=====

RCS file: /p/cvsroot/atlas2/baseplate/chipparms.m4,v

working file: atlas2/baseplate/chipparms.m4

head: 200.13

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 200.13

keyword substitution: kv

total revisions: 35; selected revisions: 1

description:

-----  
revision 1.14

date: 1995/03/29 22:14:02; author: ong; state: Exp; lines: +3 -3

Changed clock spar power pillar generation methodology

=====

RCS file: /p/cvsroot/atlas2/baseplate/Attic/sharedbaseplate.sgen.m4,v

working file: atlas2/baseplate/sharedbaseplate.sgen.m4

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 42; selected revisions: 2

description:

-----  
revision 1.16

date: 1995/03/29 22:42:51; author: ong; state: Exp; lines: +15 -2

cf Mar 28-April 3 1995.log

Added instantiations of "clkdrv" to clock spars

-----  
revision 1.15

date: 1995/03/29 22:14:04; author: ong; state: Exp; lines: +43 -32

Changed clock spar power pillar generation methodology  
=====

RCS file: /p/cvsroot/atlas2/compass/BOM,v

Working file: atlas2/compass/BOM

head: 203.329

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 203.329

keyword substitution: kv

total revisions: 532; selected revisions: 2

description:

releasebom adding BOM  
-----

revision 2.7

date: 1995/03/31 22:07:06; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

x112dandn20s.ly

x112dorn20s.ly

x117dandn20s.ly

x117dorn20s.ly

x12andn10s.ly

x12andn160s.ly

x12andn20s.ly

x12andn40s.ly

x12andn80s.ly

x12dandn10s.ly

x12dorn10s.ly

x12muxn10s.ly

x12muxn160s.ly

x12muxn20s.ly

x12muxn40s.ly

x12muxn80s.ly

x12orn10s.ly

x12orn160s.ly

x12orn20s.ly

x12orn40s.ly

x12orn80s.ly

x13andn10s.ly

x13andn160s.ly

x13andn20s.ly

x13andn40s.ly

x13andn80s.ly

x13dandn10s.ly

x13dorn10s.ly

x13muxn10s.ly

x13muxn160s.ly

x13muxn20s.ly

x13muxn40s.ly

x13muxn80s.ly

x13orn10s.ly

x13orn160s.ly

x13orn20s.ly

x13orn40s.ly

x13orn80s.ly

x14andn10s.ly

x14andn160s.ly



cf Mar 28-April 3 1995.log

x14andn20s.ly  
x14andn40s.ly  
x14andn80s.ly  
x14dandn10s.ly  
x14dorn10s.ly  
x14muxn10s.ly  
x14muxn160s.ly  
x14muxn20s.ly  
x14muxn40s.ly  
x14muxn80s.ly  
x14orn10s.ly  
x14orn160s.ly  
x14orn20s.ly  
x14orn40s.ly  
x14orn80s.ly  
x15muxn10s.ly  
x15muxn160s.ly  
x15muxn20s.ly  
x15muxn40s.ly  
x15muxn80s.ly  
x16dandn10s.ly  
x16dorn10s.ly  
x16muxn10s.ly  
x16muxn160s.ly  
x16muxn20s.ly  
x16muxn40s.ly  
x16muxn80s.ly  
x17muxn10s.ly  
x17muxn160s.ly  
x17muxn20s.ly  
x17muxn40s.ly  
x17muxn80s.ly  
x18dandn10s.ly  
x18dorn10s.ly  
x18muxn10s.ly  
x18muxn160s.ly  
x18muxn20s.ly  
x18muxn40s.ly  
x18muxn80s.ly  
x1bufn10s.ly  
x1bufn160s.ly  
x1bufn20s.ly  
x1bufn40s.ly  
x1bufn80s.ly  
x1d1aq10s.ly  
x1d1aq160s.ly  
x1d1aq20s.ly  
x1d1aq40s.ly  
x1d1aq80s.ly  
x1d1bq10s.ly  
x1d1bq160s.ly  
x1d1bq20s.ly  
x1d1bq40s.ly  
x1d1bq80s.ly  
x11an10s.ly  
x11an160s.ly  
x11an20s.ly  
x11an40s.ly  
x11an80s.ly  
x11bn10s.ly  
x11bn160s.ly  
x11bn20s.ly  
x11bn40s.ly

cf Mar 28-April 3 1995.log

x11bn80s.ly

Added uh\_ cells to half of these cells.

-----  
revision 2.6

date: 1995/03/29 22:17:50; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts  
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/BOM,v

working file: atlas2/compass/layouts/BOM

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 248; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 4.4

date: 1995/03/31 22:06:52; author: ong; state: Exp; lines: +402 -6

Release Target: atlas/compass/layouts

x112dandn20s.ly

x112dorn20s.ly

x117dandn20s.ly

x117dorn20s.ly

x12andn10s.ly

x12andn160s.ly

x12andn20s.ly

x12andn40s.ly

x12andn80s.ly

x12dandn10s.ly

x12dorn10s.ly

x12muxn10s.ly

x12muxn160s.ly

x12muxn20s.ly

x12muxn40s.ly

x12muxn80s.ly

x12orn10s.ly

x12orn160s.ly

x12orn20s.ly

x12orn40s.ly

x12orn80s.ly

x13andn10s.ly

x13andn160s.ly

x13andn20s.ly

x13andn40s.ly

x13andn80s.ly

x13dandn10s.ly

x13dorn10s.ly

x13muxn10s.ly

x13muxn160s.ly

x13muxn20s.ly

x13muxn40s.ly

x13muxn80s.ly

x13orn10s.ly

x13orn160s.ly

x13orn20s.ly

cf Mar 28-April 3 1995.log

x13orn40s.ly  
x13orn80s.ly  
x14andn10s.ly  
x14andn160s.ly  
x14andn20s.ly  
x14andn40s.ly  
x14andn80s.ly  
x14dandn10s.ly  
x14dorn10s.ly  
x14muxn10s.ly  
x14muxn160s.ly  
x14muxn20s.ly  
x14muxn40s.ly  
x14muxn80s.ly  
x14orn10s.ly  
x14orn160s.ly  
x14orn20s.ly  
x14orn40s.ly  
x14orn80s.ly  
x15muxn10s.ly  
x15muxn160s.ly  
x15muxn20s.ly  
x15muxn40s.ly  
x15muxn80s.ly  
x16dandn10s.ly  
x16dorn10s.ly  
x16muxn10s.ly  
x16muxn160s.ly  
x16muxn20s.ly  
x16muxn40s.ly  
x16muxn80s.ly  
x17muxn10s.ly  
x17muxn160s.ly  
x17muxn20s.ly  
x17muxn40s.ly  
x17muxn80s.ly  
x18dandn10s.ly  
x18dorn10s.ly  
x18muxn10s.ly  
x18muxn160s.ly  
x18muxn20s.ly  
x18muxn40s.ly  
x18muxn80s.ly  
x1bufn10s.ly  
x1bufn160s.ly  
x1bufn20s.ly  
x1bufn40s.ly  
x1bufn80s.ly  
x1d1aq10s.ly  
x1d1aq160s.ly  
x1d1aq20s.ly  
x1d1aq40s.ly  
x1d1aq80s.ly  
x1d1bq10s.ly  
x1d1bq160s.ly  
x1d1bq20s.ly  
x1d1bq40s.ly  
x1d1bq80s.ly  
x11an10s.ly  
x11an160s.ly  
x11an20s.ly  
x11an40s.ly  
x11an80s.ly

cf Mar 28-April 3 1995.log

x11bn10s.ly  
x11bn160s.ly  
x11bn20s.ly  
x11bn40s.ly  
x11bn80s.ly

Added uh\_ cells to half of these cells.

-----  
revision 4.3  
date: 1995/03/29 22:17:40; author: ong; state: Exp; lines: +5 -1  
Release Target: atlas/compass/layouts  
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v  
working file: atlas2/compass/layouts/atlas.db  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 133; selected revisions: 4  
description:  
-----

revision 1.37  
date: 1995/03/31 22:40:01; author: chip; state: Exp; lines: +68 -66  
periodic checkin of Fri Mar 31 14:39:58 PST 1995  
-----

revision 1.36  
date: 1995/03/30 00:38:02; author: chip; state: Exp; lines: +30 -28  
periodic checkin of Wed Mar 29 16:37:58 PST 1995  
-----

revision 1.35  
date: 1995/03/28 19:04:32; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Tue Mar 28 11:04:28 PST 1995  
-----

revision 1.34  
date: 1995/03/28 17:45:00; author: chip; state: Exp; lines: +26 -26  
periodic checkin of Tue Mar 28 09:44:55 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt12to64.ly,v  
working file: atlas2/compass/layouts/cgt12to64.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:  
-----

revision 4.1  
date: 1995/03/30 18:50:12; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:50:09 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt13nms.ly,v  
working file: atlas2/compass/layouts/cgt13nms.ly  
head: 200.0

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/28 17:18:24; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 09:18:20 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt15nms.ly,v  
working file: atlas2/compass/layouts/cgt15nms.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/28 17:18:26; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 09:18:20 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt16nms.ly,v  
working file: atlas2/compass/layouts/cgt16nms.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/04/01 00:02:36; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt7to16.ly,v  
working file: atlas2/compass/layouts/cgt7to16.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2;      selected revisions: 1  
description:  
-----  
revision 4.1  
date: 1995/03/30 18:50:14; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:50:09 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtddrv.ly,v  
working file: atlas2/compass/layouts/cgtddrv.ly

cf Mar 28-April 3 1995.log

head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:

-----  
revision 4.3  
date: 1995/03/29 01:34:47; author: chip; state: Exp; lines: +22 -21  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtfdec.ly,v  
working file: atlas2/compass/layouts/cgtfdec.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/30 18:50:16; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:50:09 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtlb.ly,v  
working file: atlas2/compass/layouts/cgtlb.ly  
head: 4.10  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10;      selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/04/01 00:02:38; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm1col.ly,v  
working file: atlas2/compass/layouts/cgtm1col.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11;      selected revisions: 2  
description:

-----  
revision 4.6  
date: 1995/03/31 00:47:37; author: chip; state: Exp; lines: +266 -266  
periodic checkin of Thu Mar 30 16:47:33 PST 1995  
-----

revision 4.5  
date: 1995/03/29 01:34:50; author: chip; state: Exp; lines: +276 -9

cf Mar 28-April 3 1995.log  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm1col\_2x.ly,v  
working file: atlas2/compass/layouts/cgtm1col\_2x.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 2  
description:

---

revision 4.2  
date: 1995/03/31 00:47:39; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 30 16:47:33 PST 1995

---

revision 4.1  
date: 1995/03/29 01:34:51; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm2col.ly,v  
working file: atlas2/compass/layouts/cgtm2col.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 2  
description:

---

revision 4.2  
date: 1995/03/31 01:07:04; author: chip; state: Exp; lines: +392 -392  
periodic checkin of Thu Mar 30 17:06:57 PST 1995

---

revision 4.1  
date: 1995/03/29 01:34:54; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm64x58.ly,v  
working file: atlas2/compass/layouts/cgtm64x58.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 19; selected revisions: 3  
description:

---

revision 4.3  
date: 1995/04/01 00:05:52; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Fri Mar 31 16:05:46 PST 1995

---

revision 4.2  
date: 1995/03/31 22:04:33; author: chip; state: Exp; lines: +4266 -70  
periodic checkin of Fri Mar 31 14:04:28 PST 1995

---

revision 4.1

cf Mar 28-April 3 1995.log  
date: 1995/03/29 01:34:56; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm8col.ly,v  
working file: atlas2/compass/layouts/cgtm8col.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 17; selected revisions: 3  
description:

---

revision 4.3  
date: 1995/03/31 22:04:38; author: chip; state: Exp; lines: +2 -130  
periodic checkin of Fri Mar 31 14:04:28 PST 1995

---

revision 4.2  
date: 1995/03/31 01:07:07; author: chip; state: Exp; lines: +782 -782  
periodic checkin of Thu Mar 30 17:06:57 PST 1995

---

revision 4.1  
date: 1995/03/29 01:34:59; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmatch.ly,v  
working file: atlas2/compass/layouts/cgtmatch.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 17; selected revisions: 5  
description:

---

revision 4.11  
date: 1995/03/31 22:07:51; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 31 14:07:48 PST 1995

---

revision 4.10  
date: 1995/03/31 02:51:44; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 18:51:40 PST 1995

---

revision 4.9  
date: 1995/03/31 02:48:27; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 18:48:22 PST 1995

---

revision 4.8  
date: 1995/03/31 01:07:09; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Thu Mar 30 17:06:57 PST 1995

---

revision 4.7  
date: 1995/03/29 01:35:02; author: chip; state: Exp; lines: +43 -64  
periodic checkin of Tue Mar 28 17:34:41 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmatn1.ly,v  
working file: atlas2/compass/layouts/cgtmatn1.ly  
head: 200.0



cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/31 01:03:28; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 17:03:23 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmiss.ly,v  
working file: atlas2/compass/layouts/cgtmiss.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/04/01 00:02:41; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmnor.ly,v  
working file: atlas2/compass/layouts/cgtmnor.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 18; selected revisions: 4  
description:

-----  
revision 4.5  
date: 1995/03/31 01:07:11; author: chip; state: Exp; lines: +7 -6  
periodic checkin of Thu Mar 30 17:06:57 PST 1995  
-----

revision 4.4  
date: 1995/03/29 13:54:28; author: chip; state: Exp; lines: +4 -5  
periodic checkin of Wed Mar 29 05:54:24 PST 1995  
-----

revision 4.3  
date: 1995/03/29 02:13:30; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Tue Mar 28 18:13:26 PST 1995  
-----

revision 4.2  
date: 1995/03/29 01:35:04; author: chip; state: Exp; lines: +6 -40  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmpu.ly,v  
working file: atlas2/compass/layouts/cgtmpu.ly  
head: 200.0  
branch:  
locks: strict  
access list:

cf Mar 28-April 3 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 20; selected revisions: 3  
description:

-----  
revision 4.4  
date: 1995/03/31 23:54:03; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Fri Mar 31 15:54:00 PST 1995  
-----

revision 4.3  
date: 1995/03/29 02:13:32; author: chip; state: Exp; lines: +87 -41  
periodic checkin of Tue Mar 28 18:13:26 PST 1995  
-----

revision 4.2  
date: 1995/03/29 01:35:06; author: chip; state: Exp; lines: +178 -142  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmsa.ly,v  
working file: atlas2/compass/layouts/cgtmsa.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 21; selected revisions: 3  
description:

-----  
revision 4.4  
date: 1995/03/31 02:48:30; author: chip; state: Exp; lines: +4 -6  
periodic checkin of Thu Mar 30 18:48:22 PST 1995  
-----

revision 4.3  
date: 1995/03/31 02:04:30; author: chip; state: Exp; lines: +16 -13  
periodic checkin of Thu Mar 30 18:04:24 PST 1995  
-----

revision 4.2  
date: 1995/03/29 01:35:09; author: chip; state: Exp; lines: +330 -252  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtnm.ly,v  
working file: atlas2/compass/layouts/cgtnm.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/04/01 00:02:43; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtnms\_8u.ly,v  
working file: atlas2/compass/layouts/cgtnms\_8u.ly  
head: 200.0  
branch:  
locks: strict

cf Mar 28-April 3 1995.log

access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/29 01:35:12; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtpred.ly,v  
Working file: atlas2/compass/layouts/cgtpred.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10;      selected revisions: 3  
description:

-----  
revision 4.3  
date: 1995/03/31 01:58:29; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Thu Mar 30 17:58:25 PST 1995  
-----

revision 4.2  
date: 1995/03/31 01:47:16; author: chip; state: Exp; lines: +8 -6  
periodic checkin of Thu Mar 30 17:47:12 PST 1995  
-----

revision 4.1  
date: 1995/03/30 18:52:19; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:52:15 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtrdec.ly,v  
Working file: atlas2/compass/layouts/cgtrdec.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7;      selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/30 23:51:37; author: chip; state: Exp; lines: +106 -106  
periodic checkin of Thu Mar 30 15:51:33 PST 1995  
-----

revision 4.1  
date: 1995/03/30 18:54:26; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtrdn1.ly,v  
Working file: atlas2/compass/layouts/cgtrdn1.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

cf Mar 28-April 3 1995.log  
total revisions: 11; selected revisions: 2  
description:

-----  
revision 4.2  
date: 1995/03/31 01:15:50; author: chip; state: Exp; lines: +235 -237  
periodic checkin of Thu Mar 30 17:15:45 PST 1995  
-----

revision 4.1  
date: 1995/03/29 01:35:14; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtsa.ly,v  
working file: atlas2/compass/layouts/cgtsa.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 5  
description:

-----  
revision 4.6  
date: 1995/03/31 17:36:38; author: chip; state: Exp; lines: +3 -4  
periodic checkin of Fri Mar 31 09:36:32 PST 1995  
-----

revision 4.5  
date: 1995/03/31 02:51:46; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 18:51:40 PST 1995  
-----

revision 4.4  
date: 1995/03/31 02:48:32; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Thu Mar 30 18:48:22 PST 1995  
-----

revision 4.3  
date: 1995/03/31 01:15:52; author: chip; state: Exp; lines: +27 -25  
periodic checkin of Thu Mar 30 17:15:45 PST 1995  
-----

revision 4.2  
date: 1995/03/29 01:35:17; author: chip; state: Exp; lines: +29 -26  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtvapnff.ly,v  
working file: atlas2/compass/layouts/cgtvapnff.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 21; selected revisions: 7  
description:

-----  
revision 4.8  
date: 1995/03/31 17:36:41; author: chip; state: Exp; lines: +10 -10  
periodic checkin of Fri Mar 31 09:36:32 PST 1995  
-----

revision 4.7  
date: 1995/03/31 02:51:49; author: chip; state: Exp; lines: +10 -10  
periodic checkin of Thu Mar 30 18:51:40 PST 1995  
-----

cf Mar 28-April 3 1995.log

revision 4.6

date: 1995/03/31 02:32:15; author: chip; state: Exp; lines: +20 -2  
periodic checkin of Thu Mar 30 18:32:08 PST 1995

revision 4.5

date: 1995/03/31 02:11:18; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 18:11:12 PST 1995

revision 4.4

date: 1995/03/31 02:04:33; author: chip; state: Exp; lines: +9 -10  
periodic checkin of Thu Mar 30 18:04:24 PST 1995

revision 4.3

date: 1995/03/31 01:15:55; author: chip; state: Exp; lines: +402 -405  
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 4.2

date: 1995/03/29 01:38:08; author: chip; state: Exp; lines: +18 -18  
periodic checkin of Tue Mar 28 17:38:03 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxddrv.ly,v

Working file: atlas2/compass/layouts/cgtxddrv.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 8; selected revisions: 4

description:

revision 4.5

date: 1995/04/01 00:02:45; author: chip; state: Exp; lines: +23 -10  
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.4

date: 1995/03/31 03:40:52; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.3

date: 1995/03/30 23:39:48; author: chip; state: Exp; lines: +7 -9  
periodic checkin of Thu Mar 30 15:39:44 PST 1995

revision 4.2

date: 1995/03/30 18:54:28; author: chip; state: Exp; lines: +14 -17  
periodic checkin of Thu Mar 30 10:54:22 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxor.ly,v

Working file: atlas2/compass/layouts/cgtxor.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 7; selected revisions: 3

description:

revision 4.4

date: 1995/03/31 03:40:54; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Thu Mar 30 19:40:47 PST 1995

cf Mar 28-April 3 1995.log

-----  
revision 4.3  
date: 1995/03/31 02:54:59; author: chip; state: Exp; lines: +41 -41  
periodic checkin of Thu Mar 30 18:54:56 PST 1995  
-----

revision 4.2  
date: 1995/03/30 18:54:29; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxr1col.ly,v  
working file: atlas2/compass/layouts/cgtxr1col.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 5  
description:  
-----

revision 4.6  
date: 1995/04/01 00:02:48; author: chip; state: Exp; lines: +7 -7  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
-----

revision 4.5  
date: 1995/03/31 02:55:01; author: chip; state: Exp; lines: +228 -142  
periodic checkin of Thu Mar 30 18:54:56 PST 1995  
-----

revision 4.4  
date: 1995/03/31 00:14:06; author: chip; state: Exp; lines: +3 -2  
periodic checkin of Thu Mar 30 16:14:02 PST 1995  
-----

revision 4.3  
date: 1995/03/30 23:39:50; author: chip; state: Exp; lines: +59 -59  
periodic checkin of Thu Mar 30 15:39:44 PST 1995  
-----

revision 4.2  
date: 1995/03/30 18:54:31; author: chip; state: Exp; lines: +222 -335  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxr2col.ly,v  
working file: atlas2/compass/layouts/cgtxr2col.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 3  
description:  
-----

revision 4.4  
date: 1995/04/01 00:02:50; author: chip; state: Exp; lines: +16 -13  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
-----

revision 4.3  
date: 1995/03/31 03:40:55; author: chip; state: Exp; lines: +313 -201  
periodic checkin of Thu Mar 30 19:40:47 PST 1995  
-----

revision 4.2  
date: 1995/03/30 18:54:32; author: chip; state: Exp; lines: +221 -7

cf Mar 28-April 3 1995.log  
periodic checkin of Thu Mar 30 10:54:22 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxr74col.ly,v  
working file: atlas2/compass/layouts/cgtxr74col.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/04/01 00:02:52; author: chip; state: Exp; lines: +1144 -7  
periodic checkin of Fri Mar 31 16:02:29 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxr8col.ly,v  
working file: atlas2/compass/layouts/cgtxr8col.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10; selected revisions: 2  
description:

---

revision 4.3  
date: 1995/04/01 00:02:54; author: chip; state: Exp; lines: +388 -329  
periodic checkin of Fri Mar 31 16:02:29 PST 1995

---

revision 4.2  
date: 1995/03/30 18:56:31; author: chip; state: Exp; lines: +357 -7  
periodic checkin of Thu Mar 30 10:56:28 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxrdn1.ly,v  
working file: atlas2/compass/layouts/cgtxrdn1.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 2  
description:

---

revision 4.2  
date: 1995/03/31 03:40:57; author: chip; state: Exp; lines: +6 -6  
periodic checkin of Thu Mar 30 19:40:47 PST 1995

---

revision 4.1  
date: 1995/03/30 18:54:34; author: chip; state: Exp;  
periodic checkin of Thu Mar 30 10:54:22 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxsa.ly,v  
working file: atlas2/compass/layouts/cgtxsa.ly  
head: 200.0  
branch:

cf Mar 28-April 3 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9;      selected revisions: 3  
description:

-----  
revision 4.4  
date: 1995/04/01 00:02:57; author: chip; state: Exp; lines: +8 -3  
periodic checkin of Fri Mar 31 16:02:29 PST 1995  
-----

revision 4.3  
date: 1995/03/31 03:40:58; author: chip; state: Exp; lines: +9 -9  
periodic checkin of Thu Mar 30 19:40:47 PST 1995  
-----

revision 4.2  
date: 1995/03/30 18:54:35; author: chip; state: Exp; lines: +8 -15  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_base.ly,v  
Working file: atlas2/compass/layouts/pad\_base.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 16;      selected revisions: 4  
description:

-----  
revision 4.4  
date: 1995/03/30 00:35:23; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 29 16:35:18 PST 1995  
-----

revision 4.3  
date: 1995/03/29 21:46:12; author: chip; state: Exp; lines: +16 -13  
periodic checkin of Wed Mar 29 13:46:10 PST 1995  
-----

revision 4.2  
date: 1995/03/28 19:04:34; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Tue Mar 28 11:04:28 PST 1995  
-----

revision 4.1  
date: 1995/03/28 17:45:02; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 09:44:55 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_hem.ly,v  
Working file: atlas2/compass/layouts/pad\_hem.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 18;      selected revisions: 3  
description:

-----  
revision 4.7  
date: 1995/03/30 00:58:04; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 29 16:58:00 PST 1995  
-----



cf Mar 28-April 3 1995.log

revision 4.6

date: 1995/03/30 00:35:24; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Wed Mar 29 16:35:18 PST 1995

-----  
revision 4.5

date: 1995/03/29 21:46:13; author: chip; state: Exp; lines: +79 -4  
periodic checkin of Wed Mar 29 13:46:10 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_n\_static.ly,v

working file: atlas2/compass/layouts/pad\_n\_static.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 16; selected revisions: 1

description:

-----  
revision 4.6

date: 1995/03/30 18:08:29; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 30 10:08:24 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_vcell1.ly,v

working file: atlas2/compass/layouts/pad\_vcell1.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

-----  
revision 4.1

date: 1995/03/29 21:44:16; author: chip; state: Exp;  
periodic checkin of Wed Mar 29 13:44:12 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_vcell2.ly,v

working file: atlas2/compass/layouts/pad\_vcell2.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 4.1

date: 1995/03/29 21:44:18; author: chip; state: Exp;  
periodic checkin of Wed Mar 29 13:44:12 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_vcell3.ly,v

working file: atlas2/compass/layouts/pad\_vcell3.ly

head: 200.0

branch:

locks: strict

access list:

cf Mar 28-April 3 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/29 21:49:44; author: chip; state: Exp;  
periodic checkin of Wed Mar 29 13:49:41 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad\_vcell4.ly,v  
working file: atlas2/compass/layouts/pad\_vcell4.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/30 00:35:26; author: chip; state: Exp;  
periodic checkin of Wed Mar 29 16:35:18 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padhib.ly,v  
working file: atlas2/compass/layouts/padhib.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 35; selected revisions: 3  
description:

-----  
revision 4.16  
date: 1995/03/30 18:04:17; author: chip; state: Exp; lines: +3 -2  
periodic checkin of Thu Mar 30 10:04:12 PST 1995  
-----

revision 4.15  
date: 1995/03/30 00:35:28; author: chip; state: Exp; lines: +13 -32  
periodic checkin of Wed Mar 29 16:35:18 PST 1995  
-----

revision 4.14  
date: 1995/03/28 17:42:54; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Tue Mar 28 09:42:49 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvdd.ly,v  
working file: atlas2/compass/layouts/padintvdd.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 17; selected revisions: 1  
description:

-----  
revision 4.7  
date: 1995/03/31 22:50:21; author: chip; state: Exp; lines: +4 -4

cf Mar 28-April 3 1995.log  
periodic checkin of Fri Mar 31 14:50:16 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvss.ly,v  
Working file: atlas2/compass/layouts/padintvss.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 18; selected revisions: 1  
description:

---

revision 4.7  
date: 1995/03/31 22:50:25; author: chip; state: Exp; lines: +4 -4  
periodic checkin of Fri Mar 31 14:50:16 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padttl.ly,v  
Working file: atlas2/compass/layouts/padttl.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 24; selected revisions: 3  
description:

---

revision 4.15  
date: 1995/03/30 18:04:19; author: chip; state: Exp; lines: +3 -2  
periodic checkin of Thu Mar 30 10:04:12 PST 1995

---

revision 4.14  
date: 1995/03/30 00:35:30; author: chip; state: Exp; lines: +13 -32  
periodic checkin of Wed Mar 29 16:35:18 PST 1995

---

revision 4.13  
date: 1995/03/28 17:42:56; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Tue Mar 28 09:42:49 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v  
Working file: atlas2/compass/layouts/padvdd.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 39; selected revisions: 6  
description:

---

revision 2.27  
date: 1995/03/30 18:04:21; author: chip; state: Exp; lines: +3 -2  
periodic checkin of Thu Mar 30 10:04:12 PST 1995

---

revision 2.26  
date: 1995/03/30 01:09:30; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 29 17:09:26 PST 1995

---

revision 2.25

cf Mar 28-April 3 1995.log  
date: 1995/03/30 00:35:32; author: chip; state: Exp; lines: +2 -2  
periodic checkin of Wed Mar 29 16:35:18 PST 1995

-----  
revision 2.24  
date: 1995/03/29 21:42:20; author: chip; state: Exp; lines: +9 -5  
periodic checkin of Wed Mar 29 13:42:17 PST 1995

-----  
revision 2.23  
date: 1995/03/29 19:09:52; author: chip; state: Exp; lines: +11 -29  
periodic checkin of Wed Mar 29 11:09:48 PST 1995

-----  
revision 2.22  
date: 1995/03/28 17:42:57; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Tue Mar 28 09:42:49 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvddio.ly,v  
working file: atlas2/compass/layouts/padvddio.ly  
head: 4.8  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 6  
description:

-----  
revision 4.6  
date: 1995/03/30 18:27:39; author: chip; state: Exp; lines: +3 -2  
periodic checkin of Thu Mar 30 10:27:35 PST 1995

-----  
revision 4.5  
date: 1995/03/30 00:58:06; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Wed Mar 29 16:58:00 PST 1995

-----  
revision 4.4  
date: 1995/03/29 21:49:46; author: chip; state: Exp; lines: +12 -11  
periodic checkin of Wed Mar 29 13:49:41 PST 1995

-----  
revision 4.3  
date: 1995/03/28 19:31:52; author: chip; state: Exp; lines: +6 -13  
periodic checkin of Tue Mar 28 11:31:47 PST 1995

-----  
revision 4.2  
date: 1995/03/28 19:10:24; author: chip; state: Exp; lines: +2 -3  
periodic checkin of Tue Mar 28 11:10:18 PST 1995

-----  
revision 4.1  
date: 1995/03/28 19:01:56; author: chip; state: Exp;  
periodic checkin of Tue Mar 28 11:01:54 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvss.ly,v  
working file: atlas2/compass/layouts/padvss.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 32; selected revisions: 4  
description:

-----

cf Mar 28-April 3 1995.log

revision 4.16  
date: 1995/03/31 00:23:16; author: chip; state: Exp; lines: +6 -4  
periodic checkin of Thu Mar 30 16:23:12 PST 1995

-----  
revision 4.15  
date: 1995/03/30 18:04:23; author: chip; state: Exp; lines: +9 -8  
periodic checkin of Thu Mar 30 10:04:12 PST 1995

-----  
revision 4.14  
date: 1995/03/29 21:44:19; author: chip; state: Exp; lines: +17 -31  
periodic checkin of Wed Mar 29 13:44:12 PST 1995

-----  
revision 4.13  
date: 1995/03/28 17:42:59; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Tue Mar 28 09:42:49 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring.ly,v  
Working file: atlas2/compass/layouts/paguardring.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:

-----  
revision 4.3  
date: 1995/03/30 18:04:25; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Thu Mar 30 10:04:12 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pascribeseal\_crn.ly,v  
Working file: atlas2/compass/layouts/pascribeseal\_crn.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 18; selected revisions: 1  
description:

-----  
revision 4.5  
date: 1995/03/30 18:04:26; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Thu Mar 30 10:04:12 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh\_48x1.ly,v  
Working file: atlas2/compass/layouts/uh\_48x1.ly  
head: 4.1  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 1; selected revisions: 1  
description:

-----  
revision 4.1  
date: 1995/03/31 21:42:30; author: chip; state: Exp;  
periodic checkin of Fri Mar 31 13:42:22 PST 1995

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_53x1.ly,v
working file: atlas2/compass/layouts/uh_53x1.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/31 21:42:32; author: chip; state: Exp;
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v
working file: atlas2/compass/layouts/vlsi.log
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3575; selected revisions: 114
description:
-----
```

```
revision 1.680
date: 1995/04/03 04:57:51; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sun Apr 2 21:57:44 PDT 1995
-----
```

```
revision 1.679
date: 1995/04/01 00:06:03; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 31 16:05:46 PST 1995
-----
```

```
revision 1.678
date: 1995/04/01 00:03:02; author: chip; state: Exp; lines: +20 -0
periodic checkin of Fri Mar 31 16:02:29 PST 1995
-----
```

```
revision 1.677
date: 1995/03/31 23:51:10; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 15:51:04 PST 1995
-----
```

```
revision 1.676
date: 1995/03/31 22:50:32; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 14:50:16 PST 1995
-----
```

```
revision 1.675
date: 1995/03/31 22:47:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 14:47:20 PST 1995
-----
```

```
revision 1.674
date: 1995/03/31 22:37:20; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 31 14:37:13 PST 1995
-----
```

```
revision 1.673
date: 1995/03/31 22:34:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 14:34:14 PST 1995
-----
```

```
revision 1.672
date: 1995/03/31 22:04:45; author: chip; state: Exp; lines: +7 -0
```

cf Mar 28-April 3 1995.log  
periodic checkin of Fri Mar 31 14:04:28 PST 1995

-----  
revision 1.671  
date: 1995/03/31 21:50:23; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 31 13:50:14 PST 1995

-----  
revision 1.670  
date: 1995/03/31 21:46:09; author: chip; state: Exp; lines: +66 -0  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

-----  
revision 1.669  
date: 1995/03/31 21:42:37; author: chip; state: Exp; lines: +37 -0  
periodic checkin of Fri Mar 31 13:42:22 PST 1995

-----  
revision 1.668  
date: 1995/03/31 21:39:09; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 31 13:39:01 PST 1995

-----  
revision 1.667  
date: 1995/03/31 21:36:02; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 13:35:56 PST 1995

-----  
revision 1.666  
date: 1995/03/31 21:33:00; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 13:32:53 PST 1995

-----  
revision 1.665  
date: 1995/03/31 21:30:19; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 13:30:13 PST 1995

-----  
revision 1.664  
date: 1995/03/31 21:27:39; author: chip; state: Exp; lines: +5 -0  
periodic checkin of Fri Mar 31 13:27:32 PST 1995

-----  
revision 1.663  
date: 1995/03/31 21:25:02; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 31 13:24:56 PST 1995

-----  
revision 1.662  
date: 1995/03/31 21:22:22; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 31 13:22:15 PST 1995

-----  
revision 1.661  
date: 1995/03/31 21:19:46; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Fri Mar 31 13:19:40 PST 1995

-----  
revision 1.660  
date: 1995/03/31 21:17:02; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 31 13:16:55 PST 1995

-----  
revision 1.659  
date: 1995/03/31 21:14:28; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 13:14:21 PST 1995

-----  
revision 1.658  
date: 1995/03/31 21:11:48; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Fri Mar 31 13:11:42 PST 1995

-----  
revision 1.657  
date: 1995/03/31 21:09:05; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 13:08:52 PST 1995

-----  
revision 1.656

cf Mar 28-April 3 1995.log  
date: 1995/03/31 19:38:18; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 11:38:07 PST 1995  
-----  
revision 1.655  
date: 1995/03/31 19:35:14; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Fri Mar 31 11:35:07 PST 1995  
-----  
revision 1.654  
date: 1995/03/31 19:31:42; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Fri Mar 31 11:31:33 PST 1995  
-----  
revision 1.653  
date: 1995/03/31 19:28:06; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 11:27:55 PST 1995  
-----  
revision 1.652  
date: 1995/03/31 19:05:00; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 11:04:52 PST 1995  
-----  
revision 1.651  
date: 1995/03/31 18:59:55; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 10:59:47 PST 1995  
-----  
revision 1.650  
date: 1995/03/31 18:19:13; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 10:19:04 PST 1995  
-----  
revision 1.649  
date: 1995/03/31 18:03:07; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Fri Mar 31 10:03:00 PST 1995  
-----  
revision 1.648  
date: 1995/03/31 17:36:47; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Fri Mar 31 09:36:32 PST 1995  
-----  
revision 1.647  
date: 1995/03/31 07:04:22; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 23:04:16 PST 1995  
-----  
revision 1.646  
date: 1995/03/31 03:41:02; author: chip; state: Exp; lines: +10 -0  
periodic checkin of Thu Mar 30 19:40:47 PST 1995  
-----  
revision 1.645  
date: 1995/03/31 03:00:10; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 19:00:02 PST 1995  
-----  
revision 1.644  
date: 1995/03/31 02:57:40; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Thu Mar 30 18:57:35 PST 1995  
-----  
revision 1.643  
date: 1995/03/31 02:55:05; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Thu Mar 30 18:54:56 PST 1995  
-----  
revision 1.642  
date: 1995/03/31 02:51:53; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Thu Mar 30 18:51:40 PST 1995  
-----  
revision 1.641  
date: 1995/03/31 02:48:36; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Thu Mar 30 18:48:22 PST 1995  
-----



cf Mar 28-April 3 1995.log

revision 1.640  
date: 1995/03/31 02:45:10; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Thu Mar 30 18:44:58 PST 1995

-----  
revision 1.639  
date: 1995/03/31 02:41:42; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:41:34 PST 1995

-----  
revision 1.638  
date: 1995/03/31 02:32:21; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 18:32:08 PST 1995

-----  
revision 1.637  
date: 1995/03/31 02:20:31; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:20:23 PST 1995

-----  
revision 1.636  
date: 1995/03/31 02:17:37; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:17:29 PST 1995

-----  
revision 1.635  
date: 1995/03/31 02:14:32; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:14:25 PST 1995

-----  
revision 1.634  
date: 1995/03/31 02:11:26; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 18:11:12 PST 1995

-----  
revision 1.633  
date: 1995/03/31 02:08:10; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 18:08:01 PST 1995

-----  
revision 1.632  
date: 1995/03/31 02:04:39; author: chip; state: Exp; lines: +4 -0  
periodic checkin of Thu Mar 30 18:04:24 PST 1995

-----  
revision 1.631  
date: 1995/03/31 01:58:34; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 17:58:25 PST 1995

-----  
revision 1.630  
date: 1995/03/31 01:55:34; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 17:55:26 PST 1995

-----  
revision 1.629  
date: 1995/03/31 01:47:21; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Thu Mar 30 17:47:12 PST 1995

-----  
revision 1.628  
date: 1995/03/31 01:29:57; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 17:29:51 PST 1995

-----  
revision 1.627  
date: 1995/03/31 01:19:04; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 17:18:53 PST 1995

-----  
revision 1.626  
date: 1995/03/31 01:16:00; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Thu Mar 30 17:15:45 PST 1995

-----  
revision 1.625  
date: 1995/03/31 01:07:17; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 17:06:57 PST 1995

cf Mar 28-April 3 1995.log

-----  
revision 1.624  
date: 1995/03/31 01:03:37; author: chip; state: Exp; lines: +10 -0  
periodic checkin of Thu Mar 30 17:03:23 PST 1995  
-----  
revision 1.623  
date: 1995/03/31 00:47:43; author: chip; state: Exp; lines: +10 -0  
periodic checkin of Thu Mar 30 16:47:33 PST 1995  
-----  
revision 1.622  
date: 1995/03/31 00:23:20; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 16:23:12 PST 1995  
-----  
revision 1.621  
date: 1995/03/31 00:21:13; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 16:21:04 PST 1995  
-----  
revision 1.620  
date: 1995/03/31 00:14:10; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Thu Mar 30 16:14:02 PST 1995  
-----  
revision 1.619  
date: 1995/03/31 00:02:49; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 16:02:42 PST 1995  
-----  
revision 1.618  
date: 1995/03/30 23:51:41; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 15:51:33 PST 1995  
-----  
revision 1.617  
date: 1995/03/30 23:48:37; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 15:48:30 PST 1995  
-----  
revision 1.616  
date: 1995/03/30 23:39:56; author: chip; state: Exp; lines: +8 -0  
periodic checkin of Thu Mar 30 15:39:44 PST 1995  
-----  
revision 1.615  
date: 1995/03/30 18:56:35; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 10:56:28 PST 1995  
-----  
revision 1.614  
date: 1995/03/30 18:54:39; author: chip; state: Exp; lines: +14 -0  
periodic checkin of Thu Mar 30 10:54:22 PST 1995  
-----  
revision 1.613  
date: 1995/03/30 18:52:23; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 10:52:15 PST 1995  
-----  
revision 1.612  
date: 1995/03/30 18:50:20; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Thu Mar 30 10:50:09 PST 1995  
-----  
revision 1.611  
date: 1995/03/30 18:27:43; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Thu Mar 30 10:27:35 PST 1995  
-----  
revision 1.610  
date: 1995/03/30 18:04:32; author: chip; state: Exp; lines: +12 -0  
periodic checkin of Thu Mar 30 10:04:12 PST 1995  
-----  
revision 1.609  
date: 1995/03/30 18:01:42; author: chip; state: Exp; lines: +7 -0

cf Mar 28-April 3 1995.log

periodic checkin of Thu Mar 30 10:01:36 PST 1995

---

revision 1.608  
date: 1995/03/30 17:59:30; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 09:59:24 PST 1995

---

revision 1.607  
date: 1995/03/30 17:57:32; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 09:57:27 PST 1995

---

revision 1.606  
date: 1995/03/30 17:40:59; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Thu Mar 30 09:40:53 PST 1995

---

revision 1.605  
date: 1995/03/30 01:09:35; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 29 17:09:26 PST 1995

---

revision 1.604  
date: 1995/03/30 00:58:11; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 29 16:58:00 PST 1995

---

revision 1.603  
date: 1995/03/30 00:55:26; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 29 16:55:21 PST 1995

---

revision 1.602  
date: 1995/03/30 00:53:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 16:52:57 PST 1995

---

revision 1.601  
date: 1995/03/30 00:38:06; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 29 16:37:58 PST 1995

---

revision 1.600  
date: 1995/03/30 00:35:36; author: chip; state: Exp; lines: +14 -0  
periodic checkin of Wed Mar 29 16:35:18 PST 1995

---

revision 1.599  
date: 1995/03/30 00:32:43; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 16:32:37 PST 1995

---

revision 1.598  
date: 1995/03/30 00:23:34; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 16:23:28 PST 1995

---

revision 1.597  
date: 1995/03/30 00:01:59; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 16:01:53 PST 1995

---

revision 1.596  
date: 1995/03/29 21:49:49; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Wed Mar 29 13:49:41 PST 1995

---

revision 1.595  
date: 1995/03/29 21:44:22; author: chip; state: Exp; lines: +10 -0  
periodic checkin of Wed Mar 29 13:44:12 PST 1995

---

revision 1.594  
date: 1995/03/29 21:42:24; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 29 13:42:17 PST 1995

---

revision 1.593

cf Mar 28-April 3 1995.log  
date: 1995/03/29 19:20:56; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 11:20:50 PST 1995  
-----  
revision 1.592  
date: 1995/03/29 19:09:56; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Wed Mar 29 11:09:48 PST 1995  
-----  
revision 1.591  
date: 1995/03/29 18:56:49; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 29 10:56:44 PST 1995  
-----  
revision 1.590  
date: 1995/03/29 18:48:13; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 10:48:08 PST 1995  
-----  
revision 1.589  
date: 1995/03/29 18:45:50; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 10:45:45 PST 1995  
-----  
revision 1.588  
date: 1995/03/29 18:41:09; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 10:41:03 PST 1995  
-----  
revision 1.587  
date: 1995/03/29 18:38:25; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 10:38:19 PST 1995  
-----  
revision 1.586  
date: 1995/03/29 16:43:16; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 08:43:11 PST 1995  
-----  
revision 1.585  
date: 1995/03/29 16:31:42; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Wed Mar 29 08:31:36 PST 1995  
-----  
revision 1.584  
date: 1995/03/29 13:54:32; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Wed Mar 29 05:54:24 PST 1995  
-----  
revision 1.583  
date: 1995/03/29 02:13:36; author: chip; state: Exp; lines: +9 -0  
periodic checkin of Tue Mar 28 18:13:26 PST 1995  
-----  
revision 1.582  
date: 1995/03/29 01:38:15; author: chip; state: Exp; lines: +12 -0  
periodic checkin of Tue Mar 28 17:38:03 PST 1995  
-----  
revision 1.581  
date: 1995/03/29 01:35:21; author: chip; state: Exp; lines: +34 -0  
periodic checkin of Tue Mar 28 17:34:41 PST 1995  
-----  
revision 1.580  
date: 1995/03/28 19:31:58; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Mar 28 11:31:47 PST 1995  
-----  
revision 1.579  
date: 1995/03/28 19:25:11; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 11:25:01 PST 1995  
-----  
revision 1.578  
date: 1995/03/28 19:10:28; author: chip; state: Exp; lines: +3 -0  
periodic checkin of Tue Mar 28 11:10:18 PST 1995  
-----

cf Mar 28-April 3 1995.log

revision 1.577  
date: 1995/03/28 19:04:38; author: chip; state: Exp; lines: +7 -0  
periodic checkin of Tue Mar 28 11:04:28 PST 1995

-----  
revision 1.576  
date: 1995/03/28 18:59:22; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 10:59:14 PST 1995

-----  
revision 1.575  
date: 1995/03/28 18:35:55; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 10:35:48 PST 1995

-----  
revision 1.574  
date: 1995/03/28 18:13:12; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 10:13:04 PST 1995

-----  
revision 1.573  
date: 1995/03/28 17:45:07; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Mar 28 09:44:55 PST 1995

-----  
revision 1.572  
date: 1995/03/28 17:43:03; author: chip; state: Exp; lines: +11 -0  
periodic checkin of Tue Mar 28 09:42:49 PST 1995

-----  
revision 1.571  
date: 1995/03/28 17:40:56; author: chip; state: Exp; lines: +2 -0  
periodic checkin of Tue Mar 28 09:40:51 PST 1995

-----  
revision 1.570  
date: 1995/03/28 17:37:10; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 09:37:02 PST 1995

-----  
revision 1.569  
date: 1995/03/28 17:27:03; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 09:26:58 PST 1995

-----  
revision 1.568  
date: 1995/03/28 17:18:31; author: chip; state: Exp; lines: +6 -0  
periodic checkin of Tue Mar 28 09:18:20 PST 1995

-----  
revision 1.567  
date: 1995/03/28 17:04:31; author: chip; state: Exp; lines: +1 -0  
periodic checkin of Tue Mar 28 09:04:23 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl12dandn20s.ly,v  
working file: atlas2/compass/layouts/xl12dandn20s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:  
-----

revision 4.2  
date: 1995/03/31 21:42:42; author: chip; state: Exp; lines: +9 -11  
periodic checkin of Fri Mar 31 13:42:22 PST 1995

=====  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl12dorn20s.ly,v  
working file: atlas2/compass/layouts/xl12dorn20s.ly

cf Mar 28-April 3 1995.log

head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:43; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl17dandn20s.ly,v  
working file: atlas2/compass/layouts/xl17dandn20s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:45; author: chip; state: Exp; lines: +10 -12  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl17dorn20s.ly,v  
working file: atlas2/compass/layouts/xl17dorn20s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:47; author: chip; state: Exp; lines: +6 -8  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn10s.ly,v  
working file: atlas2/compass/layouts/xl2andn10s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:49; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn160s.ly,v

cf Mar 28-April 3 1995.log  
working file: atlas2/compass/layouts/xl2andn160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:51; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn20s.ly,v  
working file: atlas2/compass/layouts/xl2andn20s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:52; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn40s.ly,v  
working file: atlas2/compass/layouts/xl2andn40s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:54; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn80s.ly,v  
working file: atlas2/compass/layouts/xl2andn80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:42:56; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

cf Mar 28-April 3 1995.log  
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2dandn10s.ly,v  
working file: atlas2/compass/layouts/xl2dandn10s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:46:15; author: chip; state: Exp; lines: +7 -9  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2muxn160s.ly,v  
working file: atlas2/compass/layouts/xl2muxn160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:46:17; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2muxn40s.ly,v  
working file: atlas2/compass/layouts/xl2muxn40s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:42:58; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2muxn80s.ly,v  
working file: atlas2/compass/layouts/xl2muxn80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:  
-----  
revision 4.2  
date: 1995/03/31 21:43:00; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====



cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn10s.ly,v  
Working file: atlas2/compass/layouts/xl3andn10s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:43:02; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn160s.ly,v  
Working file: atlas2/compass/layouts/xl3andn160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:43:04; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:42:22 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn20s.ly,v  
Working file: atlas2/compass/layouts/xl3andn20s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:20; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn40s.ly,v  
Working file: atlas2/compass/layouts/xl3andn40s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11;      selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:46:22; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn80s.ly,v
Working file: atlas2/compass/layouts/xl3andn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:24; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3dandn10s.ly,v
Working file: atlas2/compass/layouts/xl3dandn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:27; author: chip; state: Exp; lines: +8 -10
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3muxn160s.ly,v
Working file: atlas2/compass/layouts/xl3muxn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:30; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3muxn40s.ly,v
Working file: atlas2/compass/layouts/xl3muxn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:32; author: chip; state: Exp; lines: +5 -7
```

cf Mar 28-April 3 1995.log  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3muxn80s.ly,v  
Working file: atlas2/compass/layouts/xl3muxn80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 14; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:46:34; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn10s.ly,v  
Working file: atlas2/compass/layouts/xl4andn10s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:46:36; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn160s.ly,v  
Working file: atlas2/compass/layouts/xl4andn160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 15; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:46:38; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn20s.ly,v  
Working file: atlas2/compass/layouts/xl4andn20s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

---

revision 4.2

cf Mar 28-April 3 1995.log  
date: 1995/03/31 21:46:40; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn40s.ly,v  
Working file: atlas2/compass/layouts/xl4andn40s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:46:42; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn80s.ly,v  
Working file: atlas2/compass/layouts/xl4andn80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:46:44; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4dandn10s.ly,v  
Working file: atlas2/compass/layouts/xl4dandn10s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:46:45; author: chip; state: Exp; lines: +8 -10  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4muxn160s.ly,v  
Working file: atlas2/compass/layouts/xl4muxn160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10; selected revisions: 1  
description:

---

cf Mar 28-April 3 1995.log

revision 4.2  
date: 1995/03/31 21:46:47; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4muxn40s.ly,v  
Working file: atlas2/compass/layouts/xl4muxn40s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:46:49; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4muxn80s.ly,v  
Working file: atlas2/compass/layouts/xl4muxn80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:46:50; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl5muxn160s.ly,v  
Working file: atlas2/compass/layouts/xl5muxn160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:

---

revision 4.2  
date: 1995/03/31 21:46:53; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995

---

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl5muxn40s.ly,v  
Working file: atlas2/compass/layouts/xl5muxn40s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

cf Mar 28-April 3 1995.log

-----  
revision 4.2

date: 1995/03/31 21:46:55; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl5muxn80s.ly,v

working file: atlas2/compass/layouts/xl5muxn80s.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 1

description:  
-----

revision 4.2

date: 1995/03/31 21:46:57; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl6dandn10s.ly,v

working file: atlas2/compass/layouts/xl6dandn10s.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 7; selected revisions: 1

description:  
-----

revision 4.2

date: 1995/03/31 21:46:59; author: chip; state: Exp; lines: +7 -9  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl6muxn160s.ly,v

working file: atlas2/compass/layouts/xl6muxn160s.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:  
-----

revision 4.2

date: 1995/03/31 21:47:01; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl6muxn40s.ly,v

working file: atlas2/compass/layouts/xl6muxn40s.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 10; selected revisions: 1  
-----

cf Mar 28-April 3 1995.log

description:

-----  
revision 4.2  
date: 1995/03/31 21:47:04; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x16muxn80s.ly,v  
working file: atlas2/compass/layouts/x16muxn80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:47:06; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x17muxn160s.ly,v  
working file: atlas2/compass/layouts/x17muxn160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 14; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:47:08; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x17muxn40s.ly,v  
working file: atlas2/compass/layouts/x17muxn40s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 10; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:47:10; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x17muxn80s.ly,v  
working file: atlas2/compass/layouts/x17muxn80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

cf Mar 28-April 3 1995.log  
total revisions: 12; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:47:15; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl8dandn10s.ly,v  
working file: atlas2/compass/layouts/xl8dandn10s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:47:17; author: chip; state: Exp; lines: +9 -11  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl8muxn160s.ly,v  
working file: atlas2/compass/layouts/xl8muxn160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:47:20; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:45:54 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl8muxn40s.ly,v  
working file: atlas2/compass/layouts/xl8muxn40s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:29; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl8muxn80s.ly,v  
working file: atlas2/compass/layouts/xl8muxn80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:



cf Mar 28-April 3 1995.log

keyword substitution: kv  
total revisions: 12; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:31; author: chip; state: Exp; lines: +5 -7  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlaq160s.ly,v  
working file: atlas2/compass/layouts/xldlaq160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:34; author: chip; state: Exp; lines: +355 -244  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlaq20s.ly,v  
working file: atlas2/compass/layouts/xldlaq20s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:36; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlaq40s.ly,v  
working file: atlas2/compass/layouts/xldlaq40s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:38; author: chip; state: Exp; lines: +3 -3  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlaq80s.ly,v  
working file: atlas2/compass/layouts/xldlaq80s.ly  
head: 200.0  
branch:  
locks: strict  
access list:

cf Mar 28-April 3 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:41; author: chip; state: Exp; lines: +5 -5  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlbq160s.ly,v  
Working file: atlas2/compass/layouts/xldlbq160s.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 21:50:44; author: chip; state: Exp; lines: +3 -5  
periodic checkin of Fri Mar 31 13:50:14 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xsvia1.ly,v  
Working file: atlas2/compass/layouts/xsvia1.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 22:37:25; author: chip; state: Exp; lines: +4 -2  
periodic checkin of Fri Mar 31 14:37:13 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xsvia2.ly,v  
Working file: atlas2/compass/layouts/xsvia2.ly  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 4.2  
date: 1995/03/31 22:40:03; author: chip; state: Exp; lines: +4 -2  
periodic checkin of Fri Mar 31 14:39:58 PST 1995  
=====

RCS file: /p/cvsroot/atlas2/ged/BOM,v  
Working file: atlas2/ged/BOM  
head: 207.61  
branch:  
locks: strict

cf Mar 28-April 3 1995.log

access list:

symbolic names:

b4\_rich: 207.57

keyword substitution: kv

total revisions: 1847; selected revisions: 7

description:

-----  
revision 6.11

date: 1995/03/31 19:17:03; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

Edits for ged2spice compilation.  
-----

revision 6.10

date: 1995/03/31 03:05:39; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 6.9

date: 1995/03/31 01:05:12; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change  
-----

revision 6.8

date: 1995/03/30 20:05:40; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d\_am)  
-----

revision 6.7

date: 1995/03/30 20:00:39; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase  
-----

revision 6.6

date: 1995/03/30 19:34:16; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi\_am & q\_bnm  
-----

revision 6.5

date: 1995/03/29 18:32:45; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v

working file: atlas2/ged/xv/BOM

head: 212.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 212.0

keyword substitution: kv

total revisions: 348; selected revisions: 10

description:

releasebom adding BOM

cf Mar 28-April 3 1995.log

-----  
revision 17.0  
date: 1995/03/31 19:16:50; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

-----  
revision 16.1  
date: 1995/03/31 19:16:42; author: ong; state: Exp; lines: +12 -12  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 16.0  
date: 1995/03/31 03:05:26; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 15.5  
date: 1995/03/31 03:05:18; author: ong; state: Exp; lines: +23 -5  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 15.4  
date: 1995/03/31 01:05:02; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

-----  
revision 15.3  
date: 1995/03/30 20:05:30; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d\_am)

-----  
revision 15.2  
date: 1995/03/30 20:00:27; author: ong; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

-----  
revision 15.1  
date: 1995/03/30 19:34:08; author: tom; state: Exp; lines: +2 -2  
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi\_am & q\_bnm

-----  
revision 15.0  
date: 1995/03/29 18:32:36; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

-----  
revision 14.3  
date: 1995/03/29 18:32:28; author: tom; state: Exp; lines: +7 -11  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv\_family=domino\_latch/xvdlaq/body.1.1,v  
working file: atlas2/ged/xv/.config+xv\_family=domino\_latch/xvdlaq/body.1.1  
head: 200.3  
branch:  
locks: strict  
access list:

cf Mar 28-April 3 1995.log

symbolic names:

b4\_rich: 200.3

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/30 20:01:59; author: ong; state: Exp; lines: +16 -16

Change pin name on body from d0\_am to d\_am  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv\_family=domino\_latch/xvdlaq/body.2.1,v

working file: atlas2/ged/xv/.config+xv\_family=domino\_latch/xvdlaq/body.2.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

b4\_rich: 200.0

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/30 20:02:01; author: ong; state: Exp; lines: +17 -17

Change pin name on body from d0\_am to d\_am  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/BOM,v

working file: atlas2/ged/xv/xv12andffq/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 15; selected revisions: 2

description:

releasebom adding BOM  
-----

revision 2.0

date: 1995/03/31 02:52:40; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1

date: 1995/03/31 02:52:32; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/body.1.1,v

Working file: atlas2/ged/xv/xv12andffq/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.1

cf Mar 28-April 3 1995.log  
date: 1995/03/31 02:41:25; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xv12andffq/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:41:29; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv12andffq/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:41:31; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv12andffq/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:41:34; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andlbn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv12andlbn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 2  
description:  
releasebom adding BOM

cf Mar 28-April 3 1995.log

-----  
revision 2.0  
date: 1995/03/31 02:53:00; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1  
date: 1995/03/31 02:52:52; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12and1bn/Attic/body.1.1,v  
working file: atlas2/ged/xv/xv12and1bn/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:41:48; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12and1bn/Attic/body.2.1,v  
working file: atlas2/ged/xv/xv12and1bn/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:41:51; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12and1bn/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xv12and1bn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:41:53; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12and1bn/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xv12and1bn/spice\_cn.1.1  
head: 200.0

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:41:56; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12dandn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv12dandn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/03/31 19:06:20; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.  
-----

revision 2.1  
date: 1995/03/31 19:06:12; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12dandn/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv12dandn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/31 18:16:37; author: ong; state: Exp; lines: +860 -860  
Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12dandn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv12dandn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:



cf Mar 28-April 3 1995.log

-----  
revision 1.2  
date: 1995/03/31 18:16:44; author: ong; state: Exp; lines: +238 -238  
changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/BOM,v  
working file: atlas2/ged/xv/xv12orlan/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 15; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 02:53:40; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 02:53:32; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/body.1.1,v  
working file: atlas2/ged/xv/xv12orlan/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:42:06; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/body.2.1,v  
working file: atlas2/ged/xv/xv12orlan/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:42:09; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/spice.1.1,v

cf Mar 28-April 3 1995.log  
working file: atlas2/ged/xv/xv12orlan/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:42:11; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv12orlan/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:42:14; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/BOM,v  
Working file: atlas2/ged/xv/xv17andffq/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 19; selected revisions: 4  
description:  
releasebom adding BOM

-----  
revision 5.0  
date: 1995/03/30 20:00:15; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase  
-----

revision 4.1  
date: 1995/03/30 20:00:07; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
-----

revision 4.0  
date: 1995/03/29 18:26:50; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some  
bodies  
-----

revision 3.1  
date: 1995/03/29 18:26:43; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xv17andffq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 2
description:
-----
```

```
revision 1.4
date: 1995/03/30 19:59:26; author: ong; state: Exp; lines: +838 -826
Change latch following xv17dandn to xvd1bq
-----
```

```
revision 1.3
date: 1995/03/29 18:24:45; author: tom; state: Exp; lines: +830 -818
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xv17andffq/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 2
description:
-----
```

```
revision 1.4
date: 1995/03/30 19:59:32; author: ong; state: Exp; lines: +276 -276
Change latch following xv17dandn to xvd1bq
-----
```

```
revision 1.3
date: 1995/03/29 18:24:51; author: tom; state: Exp; lines: +277 -277
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv17andlbn/Attic/BOM,v
Working file: atlas2/ged/xv/xv17andlbn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19;    selected revisions: 4
description:
releasebom adding BOM
-----
```

```
revision 5.0
date: 1995/03/31 02:54:17; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs\* cells

```
-----
revision 4.1
```

cf Mar 28-April 3 1995.log  
date: 1995/03/31 02:54:07; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 4.0  
date: 1995/03/29 18:27:16; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

-----  
revision 3.1  
date: 1995/03/29 18:27:08; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17and1bn/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv17and1bn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 2  
description:

-----  
revision 1.4  
date: 1995/03/31 02:43:21; author: ong; state: Exp; lines: +791 -783  
Added superfluous notes.

-----  
revision 1.3  
date: 1995/03/29 18:25:01; author: tom; state: Exp; lines: +788 -780  
added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17and1bn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv17and1bn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 2  
description:

-----  
revision 1.4  
date: 1995/03/31 02:43:26; author: ong; state: Exp; lines: +223 -223  
Added superfluous notes.

-----  
revision 1.3  
date: 1995/03/29 18:25:07; author: tom; state: Exp; lines: +226 -226  
added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17dandn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv17dandn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:

cf Mar 28-April 3 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 3.0  
date: 1995/03/30 19:33:57; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi\_am & q\_bnm

-----  
revision 2.1  
date: 1995/03/30 19:33:49; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17dandn/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xv17dandn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/30 17:41:00; author: ong; state: Exp; lines: +1130 -1130  
Change capacitor labels to match pin names of phi\_am & q\_bnm

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17dandn/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xv17dandn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/30 17:41:08; author: ong; state: Exp; lines: +316 -316  
Change capacitor labels to match pin names of phi\_am & q\_bnm

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/BOM,v  
working file: atlas2/ged/xv/xv17orlan/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 23; selected revisions: 6  
description:  
releasebom adding BOM

-----  
revision 6.0  
date: 1995/03/31 02:55:00; author: ong; state: Exp; lines: +1 -1

cf Mar 28-April 3 1995.log

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 5.1

date: 1995/03/31 02:54:51; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 5.0

date: 1995/03/31 01:04:51; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

-----  
revision 4.1

date: 1995/03/31 01:04:43; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 4.0

date: 1995/03/29 18:27:51; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

-----  
revision 3.1

date: 1995/03/29 18:27:44; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv17orlan/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 11; selected revisions: 3

description:

-----  
revision 1.5

date: 1995/03/31 02:44:23; author: ong; state: Exp; lines: +826 -818  
Changed parms for xvdlaq + added superfluous notes

-----  
revision 1.4

date: 1995/03/31 01:04:15; author: tom; state: Exp; lines: +820 -820  
reinstantiated xvdlaq to catch pin name change

-----  
revision 1.3

date: 1995/03/29 18:25:12; author: tom; state: Exp; lines: +820 -812  
added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/spice\_cn.1.1,v

working file: atlas2/ged/xv/xv17orlan/spice\_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

cf Mar 28-April 3 1995.log  
total revisions: 11; selected revisions: 3  
description:

-----  
revision 1.5  
date: 1995/03/31 02:44:28; author: ong; state: Exp; lines: +222 -222  
changed parms for xvdlaq + added superfluous notes  
-----

revision 1.4  
date: 1995/03/31 01:04:20; author: tom; state: Exp; lines: +224 -224  
reinstantiated xvdlaq to catch pin name change  
-----

revision 1.3  
date: 1995/03/29 18:25:18; author: tom; state: Exp; lines: +263 -263  
added strength parameters to composite cells, changed brackets to braces in some  
bodies  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/BOM,v  
working file: atlas2/ged/xv/xv2andffq/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 02:55:22; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 02:55:14; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/body.1.1,v  
working file: atlas2/ged/xv/xv2andffq/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:44:42; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/body.2.1,v  
working file: atlas2/ged/xv/xv2andffq/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:

cf Mar 28-April 3 1995.log

keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:44:44; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xv2andffq/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:44:46; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xv2andffq/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:44:49; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andlbn/Attic/BOM,v  
working file: atlas2/ged/xv/xv2andlbn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 02:55:45; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 02:55:36; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====



cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xv2and1bn/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xv2and1bn/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:44:57; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2and1bn/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xv2and1bn/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:44:59; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2and1bn/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv2and1bn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:01; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2and1bn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv2and1bn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:04; author: ong; state: Exp;  
New schematic for xs\* cells.

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv2dandn/Attic/BOM,v
working file: atlas2/ged/xv/xv2dandn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11;    selected revisions: 2
description:
releasebom adding BOM
=====
```

```
revision 3.0
date: 1995/03/31 19:08:01; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Edits for ged2spice compilation.

```
=====
revision 2.1
date: 1995/03/31 19:07:53; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv2dandn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv2dandn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
=====
```

```
revision 1.2
date: 1995/03/31 18:16:50; author: ong; state: Exp; lines: +284 -284
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv2dandn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv2dandn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
=====
```

```
revision 1.2
date: 1995/03/31 18:16:53; author: ong; state: Exp; lines: +76 -76
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv2orlan/Attic/BOM,v
working file: atlas2/ged/xv/xv2orlan/BOM
head: 201.0
branch:
=====
```

cf Mar 28-April 3 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 2  
description:  
releasebom adding BOM  
-----  
revision 2.0  
date: 1995/03/31 02:56:40; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1  
date: 1995/03/31 02:56:31; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2orlan/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xv2orlan/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:45:13; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2orlan/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xv2orlan/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:45:15; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2orlan/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv2orlan/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:  
-----

revision 1.1

cf Mar 28-April 3 1995.log  
date: 1995/03/31 02:45:18; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv2orlan/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xv2orlan/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:45:20; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/BOM,v  
working file: atlas2/ged/xv/xv3andffq/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:  
releasebom adding BOM

---

revision 2.0  
date: 1995/03/31 02:57:17; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

---

revision 1.1  
date: 1995/03/31 02:57:08; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/body.1.1,v  
working file: atlas2/ged/xv/xv3andffq/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:45:30; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/body.2.1,v  
working file: atlas2/ged/xv/xv3andffq/body.2.1  
head: 200.0  
branch:

cf Mar 28-April 3 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:32; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xv3andffq/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:35; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xv3andffq/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:45:37; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/BOM,v  
working file: atlas2/ged/xv/xv3andlbn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13;      selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 02:57:39; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1

cf Mar 28-April 3 1995.log  
date: 1995/03/31 02:57:30; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/body.1.1,v  
working file: atlas2/ged/xv/xv3andlbn/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:45:48; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/body.2.1,v  
working file: atlas2/ged/xv/xv3andlbn/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:45:51; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xv3andlbn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:45:53; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xv3andlbn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

---

cf Mar 28-April 3 1995.log

revision 1.1  
date: 1995/03/31 02:45:56; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3dandn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv3dandn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 4  
description:  
releasebom adding BOM

---

revision 4.0  
date: 1995/03/31 19:09:19; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

---

revision 3.1  
date: 1995/03/31 19:09:11; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

revision 3.0  
date: 1995/03/31 02:58:11; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

---

revision 2.1  
date: 1995/03/31 02:58:04; author: ong; state: Exp; lines: +2 -2  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3dandn/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xv3dandn/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

---

revision 1.2  
date: 1995/03/31 02:46:08; author: ong; state: Exp; lines: +22 -22  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv3dandn/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv3dandn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1

cf Mar 28-April 3 1995.log

description:

-----  
revision 1.2

date: 1995/03/31 18:16:59; author: ong; state: Exp; lines: +341 -341

Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3dandn/Attic/spice\_cn.1.1,v

working file: atlas2/ged/xv/xv3dandn/spice\_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/31 18:17:02; author: ong; state: Exp; lines: +86 -86

Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/BOM,v

working file: atlas2/ged/xv/xv3orlan/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 2

description:

releasebom adding BOM

-----  
revision 2.0

date: 1995/03/31 02:58:43; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1

date: 1995/03/31 02:58:36; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/body.1.1,v

Working file: atlas2/ged/xv/xv3orlan/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:46:24; author: ong; state: Exp;

New schematic for xs\* cells.



cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xv3orlan/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:46:27; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv3orlan/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:46:29; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv3orlan/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:46:33; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/BOM,v  
Working file: atlas2/ged/xv/xv4andffq/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 2  
description:  
releasebom adding BOM

-----  
revision 2.0  
date: 1995/03/31 02:59:10; author: ong; state: Exp; lines: +1 -1

cf Mar 28-April 3 1995.log

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1  
date: 1995/03/31 02:59:02; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xv4andffq/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:00; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xv4andffq/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:03; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv4andffq/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:06; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv4andffq/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:

cf Mar 28-April 3 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 6;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:47:09; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4and1bn/Attic/BOM,v  
working file: atlas2/ged/xv/xv4and1bn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 17;      selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 02:59:28; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 02:59:21; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4and1bn/Attic/body.1.1,v  
working file: atlas2/ged/xv/xv4and1bn/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:17; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4and1bn/Attic/body.2.1,v  
working file: atlas2/ged/xv/xv4and1bn/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:19; author: ong; state: Exp;  
New schematic for xs\* cells.

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv4andlbn/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xv4andlbn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;      selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:47:23; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv4andlbn/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xv4andlbn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;      selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:47:26; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv4dandn/Attic/BOM,v
Working file: atlas2/ged/xv/xv4dandn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;     selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/03/31 19:10:38; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Edits for ged2spice compilation.

```
-----
revision 2.1
date: 1995/03/31 19:10:29; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv4dandn/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xv4dandn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
-----
```

cf Mar 28-April 3 1995.log

symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 18:17:09; author: ong; state: Exp; lines: +25 -25  
changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4dandn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv4dandn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 18:17:12; author: ong; state: Exp; lines: +28 -28  
changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/BOM,v  
Working file: atlas2/ged/xv/xv4orlan/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 15; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 03:00:19; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 03:00:12; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xv4orlan/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 1.1

cf Mar 28-April 3 1995.log  
date: 1995/03/31 02:47:34; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xv4orlan/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:47:37; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv4orlan/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:47:39; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv4orlan/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:47:42; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/BOM,v  
Working file: atlas2/ged/xv/xv6andffq/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:  
releasebom adding BOM

cf Mar 28-April 3 1995.log

-----  
revision 2.0  
date: 1995/03/31 03:00:51; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

-----  
revision 1.1  
date: 1995/03/31 03:00:44; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/body.1.1,v  
working file: atlas2/ged/xv/xv6andffq/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:49; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/body.2.1,v  
working file: atlas2/ged/xv/xv6andffq/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:53; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xv6andffq/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:47:56; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xv6andffq/spice\_cn.1.1  
head: 200.0

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:47:59; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6and1bn/Attic/BOM,v  
working file: atlas2/ged/xv/xv6and1bn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13;      selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 03:01:12; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 03:01:04; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6and1bn/Attic/body.1.1,v  
working file: atlas2/ged/xv/xv6and1bn/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:48:11; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6and1bn/Attic/body.2.1,v  
working file: atlas2/ged/xv/xv6and1bn/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:  
-----



cf Mar 28-April 3 1995.log

revision 1.1  
date: 1995/03/31 02:48:13; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv6and1bn/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xv6and1bn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:48:15; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv6and1bn/Attic/spice\_cn.1.1,v  
working file: atlas2/ged/xv/xv6and1bn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 6; selected revisions: 1  
description:

---

revision 1.1  
date: 1995/03/31 02:48:18; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv6dandn/Attic/BOM,v  
working file: atlas2/ged/xv/xv6dandn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:  
releasebom adding BOM

---

revision 3.0  
date: 1995/03/31 19:11:51; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

---

revision 2.1  
date: 1995/03/31 19:11:43; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv6dandn/Attic/spice.1.1,v  
working file: atlas2/ged/xv/xv6dandn/spice.1.1  
head: 200.0

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 18:17:18; author: ong; state: Exp; lines: +514 -514  
Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6dandn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv6dandn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 18:17:22; author: ong; state: Exp; lines: +142 -142  
Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6muxn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv6muxn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/03/31 19:12:23; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

-----  
revision 2.1  
date: 1995/03/31 19:12:16; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6muxn/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv6muxn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
-----

cf Mar 28-April 3 1995.log

description:

-----  
revision 1.2  
date: 1995/03/31 19:01:31; author: ong; state: Exp; lines: +722 -726  
Reattached '[NMOS N2]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6muxn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv6muxn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 19:01:35; author: ong; state: Exp; lines: +151 -150  
Reattached '[NMOS N2]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/BOM,v  
Working file: atlas2/ged/xv/xv6orlan/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 15; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 2.0  
date: 1995/03/31 03:01:52; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 03:01:45; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xv6orlan/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:48:31; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/body.2.1,v

cf Mar 28-April 3 1995.log

Working file: atlas2/ged/xv/xv6orlan/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:48:33; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv6orlan/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:48:36; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv6orlan/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7;      selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:48:39; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv7muxn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv7muxn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11;      selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/03/31 19:12:56; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

cf Mar 28-April 3 1995.log

Edits for ged2spice compilation.

-----  
revision 2.1

date: 1995/03/31 19:12:49; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv7muxn/Attic/spice.1.1,v

Working file: atlas2/ged/xv/xv7muxn/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:  
-----

revision 1.2

date: 1995/03/31 19:01:47; author: ong; state: Exp; lines: +813 -813

Reattached '[NMOS N2]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv7muxn/Attic/spice\_cn.1.1,v

Working file: atlas2/ged/xv/xv7muxn/spice\_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:  
-----

revision 1.2

date: 1995/03/31 19:01:55; author: ong; state: Exp; lines: +189 -187

Reattached '[NMOS N2]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/BOM,v

Working file: atlas2/ged/xv/xv8andffq/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 15; selected revisions: 2

description:

releasebom adding BOM  
-----

revision 2.0

date: 1995/03/31 03:02:20; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1

date: 1995/03/31 03:02:12; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/body.1.1,v

cf Mar 28-April 3 1995.log

Working file: atlas2/ged/xv/xv8andffq/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:47; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/body.2.1,v

Working file: atlas2/ged/xv/xv8andffq/body.2.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:49; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/spice.1.1,v

Working file: atlas2/ged/xv/xv8andffq/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 7; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:52; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/spice\_cn.1.1,v

Working file: atlas2/ged/xv/xv8andffq/spice\_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 7; selected revisions: 1

description:

-----  
revision 1.1

date: 1995/03/31 02:48:54; author: ong; state: Exp;

New schematic for xs\* cells.  
=====

cf Mar 28-April 3 1995.log  
RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv8andlbn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 21; selected revisions: 2  
description:  
releasebom adding BOM  
-----  
revision 2.0  
date: 1995/03/31 03:02:38; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells  
-----

revision 1.1  
date: 1995/03/31 03:02:31; author: ong; state: Exp;  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xv8andlbn/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:49:04; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xv8andlbn/body.2.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:  
-----

revision 1.1  
date: 1995/03/31 02:49:07; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv8andlbn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv

cf Mar 28-April 3 1995.log  
total revisions: 9; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:49:09; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv8andlbn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9; selected revisions: 1  
description:

-----  
revision 1.1  
date: 1995/03/31 02:49:11; author: ong; state: Exp;  
New schematic for xs\* cells.  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8dandn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv8dandn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 15; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/03/31 19:13:38; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.  
-----

revision 2.1  
date: 1995/03/31 19:13:29; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8dandn/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv8dandn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 18:17:30; author: ong; state: Exp; lines: +627 -627  
changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====



cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xv8dandn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv8dandn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/31 18:17:35; author: ong; state: Exp; lines: +173 -173  
Changed node names on capacitor from q\_anm and phi\_bm to  
q\_bnm and phi\_am  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv8muxffn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/03/29 18:30:41; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some  
bodies  
-----

revision 2.1  
date: 1995/03/29 18:30:34; author: tom; state: Exp; lines: +5 -5  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xv8muxffn/body.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 5; selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/29 18:25:22; author: tom; state: Exp; lines: +1 -1  
added strength parameters to composite cells, changed brackets to braces in some  
bodies  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/body.2.1,v  
Working file: atlas2/ged/xv/xv8muxffn/body.2.1  
head: 200.0  
branch:

cf Mar 28-April 3 1995.log

locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/29 18:25:24; author: tom; state: Exp; lines: +1 -1  
added strength parameters to composite cells, changed brackets to braces in some  
bodies  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv8muxffn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/29 18:25:26; author: tom; state: Exp; lines: +670 -666  
added strength parameters to composite cells, changed brackets to braces in some  
bodies  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv8muxffn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4;      selected revisions: 1  
description:

-----  
revision 1.2  
date: 1995/03/29 18:25:29; author: tom; state: Exp; lines: +177 -177  
added strength parameters to composite cells, changed brackets to braces in some  
bodies  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxlaq/Attic/BOM,v  
Working file: atlas2/ged/xv/xv8muxlaq/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 9;      selected revisions: 4  
description:  
releasebom adding BOM  
-----

revision 4.0  
date: 1995/03/31 19:14:22; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

cf Mar 28-April 3 1995.log

Edits for ged2spice compilation.

-----  
revision 3.1

date: 1995/03/31 19:14:14; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

-----  
revision 3.0

date: 1995/03/29 18:31:10; author: tom; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

-----  
revision 2.1

date: 1995/03/29 18:31:02; author: tom; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxlaq/Attic/body.1.1,v

working file: atlas2/ged/xv/xv8muxlaq/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/29 18:25:33; author: tom; state: Exp; lines: +1 -1

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxlaq/Attic/body.2.1,v

working file: atlas2/ged/xv/xv8muxlaq/body.2.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

-----  
revision 1.2

date: 1995/03/29 18:25:35; author: tom; state: Exp; lines: +1 -1

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxlaq/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv8muxlaq/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

cf Mar 28-April 3 1995.log

revision 1.2  
date: 1995/03/31 19:02:19; author: ong; state: Exp; lines: +964 -964  
Reattached '[NMOS N5]' parms to transistor

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv8mux1aq/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv8mux1aq/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 1.2  
date: 1995/03/31 19:02:26; author: ong; state: Exp; lines: +232 -230  
Reattached '[NMOS N5]' parms to transistor

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv8mux1bq/Attic/BOM,v  
Working file: atlas2/ged/xv/xv8mux1bq/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 2  
description:  
releasebom adding BOM

---

revision 3.0  
date: 1995/03/31 19:14:45; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

---

revision 2.1  
date: 1995/03/31 19:14:37; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv8mux1bq/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv8mux1bq/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:

---

revision 1.2  
date: 1995/03/31 19:02:39; author: ong; state: Exp; lines: +154 -154  
Reattached '[NMOS N5]' parms to transistor

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv8mux1bq/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv8mux1bq/spice\_cn.1.1  
head: 200.0

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 3; selected revisions: 1  
description:  
-----  
revision 1.2  
date: 1995/03/31 19:02:42; author: ong; state: Exp; lines: +123 -121  
Reattached '[NMOS N5]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxn/Attic/BOM,v  
Working file: atlas2/ged/xv/xv8muxn/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 11; selected revisions: 2  
description:  
releasebom adding BOM  
-----

revision 3.0  
date: 1995/03/31 19:15:10; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Edits for ged2spice compilation.  
-----

revision 2.1  
date: 1995/03/31 19:15:02; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxn/Attic/spice.1.1,v  
Working file: atlas2/ged/xv/xv8muxn/spice.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:  
-----

revision 1.2  
date: 1995/03/31 19:02:54; author: ong; state: Exp; lines: +898 -898  
Reattached '[NMOS N2]' parms to transistor  
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxn/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv8muxn/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 4; selected revisions: 1  
description:  
-----

cf Mar 28-April 3 1995.log

revision 1.2

date: 1995/03/31 19:03:01; author: ong; state: Exp; lines: +245 -243  
Reattached '[NMOS N2]' parms to transistor

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/BOM,v

Working file: atlas2/ged/xv/xv8orlan/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 15; selected revisions: 2

description:

releasebom adding BOM

---

revision 2.0

date: 1995/03/31 03:03:46; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

---

revision 1.1

date: 1995/03/31 03:03:38; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/body.1.1,v

Working file: atlas2/ged/xv/xv8orlan/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

---

revision 1.1

date: 1995/03/31 02:49:19; author: ong; state: Exp;

New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/body.2.1,v

Working file: atlas2/ged/xv/xv8orlan/body.2.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

---

revision 1.1

date: 1995/03/31 02:49:22; author: ong; state: Exp;

New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/spice.1.1,v

Working file: atlas2/ged/xv/xv8orlan/spice.1.1

head: 200.0

cf Mar 28-April 3 1995.log

branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/31 02:49:25; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/spice\_cn.1.1,v  
Working file: atlas2/ged/xv/xv8orlan/spice\_cn.1.1  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 7; selected revisions: 1  
description:  
-----  
revision 1.1  
date: 1995/03/31 02:49:27; author: ong; state: Exp;  
New schematic for xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlag/Attic/BOM,v  
Working file: atlas2/ged/xv/xvdlag/BOM  
head: 201.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 13; selected revisions: 2  
description:  
releasebom adding BOM  
-----  
revision 3.0  
date: 1995/03/30 20:05:18; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv/xvdlag

Changed pin name on body to match schematic (d\_am)

-----  
revision 2.1  
date: 1995/03/30 20:05:09; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlag/Attic/body.1.1,v  
Working file: atlas2/ged/xv/xvdlag/body.1.1  
head: 200.3  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 8; selected revisions: 1  
description:  
-----

cf Mar 28-April 3 1995.log

revision 1.2

date: 1995/03/30 20:01:59; author: ong; state: Exp; lines: +16 -16  
Change pin name on body from d0\_am to d\_am

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/body.2.1,v

working file: atlas2/ged/xv/xvdlq/body.2.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

---

revision 1.2

date: 1995/03/30 20:02:01; author: ong; state: Exp; lines: +17 -17  
Change pin name on body from d0\_am to d\_am

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/BOM,v

working file: atlas2/ged/xv/xvffq/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 2

description:

releasebom adding BOM

---

revision 3.0

date: 1995/03/31 03:04:33; author: ong; state: Exp; lines: +1 -1  
Release Target: atlas/ged/xv

Added New Schematics for generating xs\* cells

---

revision 2.1

date: 1995/03/31 03:04:25; author: ong; state: Exp; lines: +3 -3  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/spice.1.1,v

working file: atlas2/ged/xv/xvffq/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

---

revision 1.2

date: 1995/03/31 02:50:02; author: ong; state: Exp; lines: +194 -178  
Change parameters to make xs\* cells.

---

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/spice\_cn.1.1,v

working file: atlas2/ged/xv/xvffq/spice\_cn.1.1

head: 200.0



cf Mar 28-April 3 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
revision 1.2
date: 1995/03/31 02:50:05; author: ong; state: Exp; lines: +47 -47
Change parameters to make xs* cells.
```

---

```
RCS file: /p/cvsroot/atlas2/leafgen/BOM,v
Working file: atlas2/leafgen/BOM
head: 238.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 238.0
keyword substitution: kv
total revisions: 235;    selected revisions: 8
description:
releasebom adding BOM
-----
```

```
revision 12.0
date: 1995/03/31 19:15:17; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen
```

add edif netlist generation

```
-----
revision 11.1
date: 1995/03/31 19:15:08; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 11.0
date: 1995/03/30 19:14:42; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen
```

fix call to inferLobes: pass CHIPROOT to it, and check error status

```
-----
revision 10.1
date: 1995/03/30 19:14:35; author: tom; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 10.0
date: 1995/03/30 04:49:07; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen
```

improve dependencies; build netlist for one-lobe xs cells

```
-----
revision 9.1
date: 1995/03/30 04:48:59; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 9.0
date: 1995/03/29 18:34:06; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen
```

first shot at building xs cells -- only works for hierarchical cells, so far

```
-----
revision 8.1
```

cf Mar 28-April 3 1995.log  
date: 1995/03/29 18:33:59; author: tom; state: Exp; lines: +4 -3  
releasebom: File needs to be up-to-date to use commit -r

---

RCS file: /p/cvsroot/atlas2/leafgen/Makefile,v  
working file: atlas2/leafgen/Makefile  
head: 200.18  
branch:  
locks: strict  
access list:  
symbolic names:  
    b4\_rich: 200.18  
keyword substitution: kv  
total revisions: 50; selected revisions: 4  
description:

---

revision 1.14  
date: 1995/03/31 19:14:09; author: tom; state: Exp; lines: +31 -3  
add edif netlist generation

---

revision 1.13  
date: 1995/03/30 19:13:19; author: tom; state: Exp; lines: +4 -2  
fix call to inferLobes: pass CHIPROOT to it, and check error status

---

revision 1.12  
date: 1995/03/30 04:48:03; author: tom; state: Exp; lines: +24 -9  
improve dependencies; build netlist for one-lobe xs cells

---

revision 1.11  
date: 1995/03/29 18:33:15; author: tom; state: Exp; lines: +63 -30  
first shot at building xs cells -- only works for hierarchical cells, so far

---

RCS file: /p/cvsroot/atlas2/leafgen/Attic/inferLobes,v  
working file: atlas2/leafgen/inferLobes  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 2; selected revisions: 1  
description:

---

revision 8.1  
date: 1995/03/29 18:33:17; author: tom; state: Exp;  
first shot at building xs cells -- only works for hierarchical cells, so far

---

RCS file: /p/cvsroot/atlas2/leafgen/Attic/makeDepend,v  
working file: atlas2/leafgen/makeDepend  
head: 200.0  
branch:  
locks: strict  
access list:  
symbolic names:  
keyword substitution: kv  
total revisions: 15; selected revisions: 3  
description:

---

revision 3.10  
date: 1995/03/31 19:14:11; author: tom; state: Exp; lines: +14 -19  
add edif netlist generation

cf Mar 28-April 3 1995.log

-----  
revision 3.9

date: 1995/03/30 04:48:05; author: tom; state: Exp; lines: +37 -29  
improve dependencies; build netlist for one-lobe xs cells

-----  
revision 3.8

date: 1995/03/29 18:33:20; author: tom; state: Exp; lines: +71 -20  
first shot at building xs cells -- only works for hierarchical cells, so far  
=====